

# Amtico Projects

Novotel – Noisy Le Grand



## Project Information

### Location

Paris, France

### Sector

Hospitality & Leisure

### Collection

Amtico Form

**amtico**  
flooring



# Project

## Novotel – Noisy Le Grand

### Location

Paris, France

### Sector

Hospitality & Leisure

### Collection

Amtico Form

### Product

Barrel Oak Rye

### Laying Pattern

Stripwood



Featured  
Barrel Oak Rye



---

## More than 1300m<sup>2</sup> of Barrel Oak Rye was chosen for this four-star hotel, Novotel - Noisy Le Grand which sits in the heart of Paris.

The brief was to have the entrance of the hotel as the centre of attraction. Amtico Form provided the ideal design for a natural looking interior.

A floor which aesthetically blended into the soft pastels of the decor, supporting without intruding. Barrel Oak Rye's knot-free authentic grain texture gently repetitive style matched perfectly with this ambition.



**Featured**  
Barrel Oak Rye





amtico form

## Amtico Form brings working spaces to life.

With the tactile power of natural, hand-worked materials and the unrivalled performance of premium LVT – Amtico Form's raw textures and myriad tones will transform your experience of commercial environments.

**36**

Woods & Stones

**3**

Tactile Surface Textures

**0.7mm**

Premium LVT



Featured  
Barrel Oak Rye




12YR COMMERCIAL  
WARRANTY



---

amtico form

**Featured in this design**



**Stripwood**



**Barrel Oak Rye**  
FK7W3303

**Bold statements.  
Big ideas.  
What our clients say.**

---

“We are satisfied with this flooring from an aesthetic point of view, in particular the luminous tone it gives off, but also regarding its qualitative and noble appearance, its robustness and finally its ease of daily maintenance.”



**William Ziegler**  
Director of Novotel  
Noisy le Grand



# Collection Overview

## Hard surface

### ▼ Glue Down LVT

		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
<b>amtico signature</b>	A unique palette of colours and shapes to <b>create inspiring flooring design.</b>	1 mm	✓	20	217	13
<b>amtico signature 36+</b>	<b>Safety flooring</b> with design sophistication.	1 mm	✓	20	36	11
<b>amtico form</b>	<b>Design-led flooring</b> with natural textures.	0.7 mm	✓	12	36	5
<b>amtico spacia</b>	<b>Simple, accessible</b> design-led flooring solutions.	0.55 mm	✓	10	104	7
<b>amtico spacia 36+</b>	<b>Slip-resistant</b> tiles and planks with unrivalled design clarity.	0.55 mm	✓	10	16	2
<b>amtico first</b>	Light commercial flooring with all the <b>benefits of Amtico.</b>	0.3 mm		7	36	4

### ▼ Loose Lay LVT

		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
<b>amtico access</b>	Loose lay flooring that's <b>quick to install.</b>	0.55 mm		10	43	2
<b>amtico clicksmart</b>	<b>Easy-fit</b> click flooring with a rigid core.	0.55 mm		20	22	2

## Specialist

### ▼ Glue Down

		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
<b>amtico cirro</b>	<b>PVC-free</b> flooring with unrivalled performance.	0.55 mm		10	20	4

## Soft surface

### ▼ Tile

		Pile thickness	Fibre	Warranty (years)	Total products	Total sizes
<b>amtico carpet</b>	High-performance carpet tiles that <b>integrate</b> with our LVT collections.	2.6 - 4.3 mm	6,6 nylon and polyamide	10	121	2
<b>amtico entryway</b>	<b>Tough, resistant</b> entrance tiles that protect your Amtico floor.	4.2-5.4 mm	6,6 and solution dyed nylon	10	18	1

## Amtico Standards

**Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.**



All Amtico LVT products and Amtico Cirro comply with Indoor Air Comfort Gold version 6.0 and are certified as low emissions products contributing to a healthy indoor environment.



Originating in Germany, The Blue Angel is a long-established standard for environmentally friendly products and services. In order to meet the criteria, Amtico Cirro's whole life cycle has been independently verified as safe for the environment.



All Amtico LVTs (excluding Spacia 36+ and Assura), Amtico Cirro and Amtico Carpet is certified as a low emissions building material by the Building Information Foundation RTS.

## BREEAM

The Amtico Cirro range is comparable to Green Guide generic element 821570049 which has a rating of A residential and A+ educational. It is also comparable to Green Guide generic element 821570060 with a rating of A commercial and A+ for health and retail.

## Samples and support

We offer expert support worldwide with a free online global supply service for samples. Full size samples are available from your Area Sales Manager.

For full collection details visit **amtico.com** or request our collection brochures.

---

**Amtico UK  
& European Sales**

+44 (0) 121 745 0800  
samples@amtico.com

**Amtico Head Office**

+44 (0) 24 7686 1400  
samples@amtico.com

**Amtico International  
Germany**

+49 (0) 2131 359 16 0  
info@amtico.de

**Amtico International  
France**

+33 (0) 1 55 38 95 70  
info@amtico.fr

**Amtico International  
Scandinavia**

+46 (0) 8 584 233 24  
info@amtico.se

**Amtico International  
Australia & New Zealand**

+61 (0) 4777 08418  
samples@amtico.com

**Amtico International  
Asia**

+852 2327 7703  
samples@amtico.com

**Amtico International  
Middle East, Africa & India**

+971 (0) 50 192 33 46  
samples@amtico.com

**amtico.com**

**amtico**  
flooring