
Amtico Projects

Tullamore Court Hotel



Project Information

Location

Tullamore, County Offaly, Eire

Sector

Hotel and Leisure

Collection

Amtico Signature

– Designers' Choice





Project Tullamore Court Hotel

Location

Sector

Hotel and Leisure

Collection

Amtico Signature

Products

Graphite Slate, Basilica Salt

Laying Pattern

Designers' Choice - Gingham DC304



Featured Graphite Slate





Amtico flooring paves the way in Ireland. The Tullamore Court Hotel is perfectly situated in the heart of Ireland's picturesque countryside.

The 4* accommodation offers its patrons leisure facilities, rooms, a 20-metre swimming pool, a bistro, a bar and a restaurant, which was in desperate need of renovation.

The hotel's main restaurant hadn't been updated since the late 90s, so interior design practice Helen Casey Design Associates (HCDA) was called upon to bring the space into the 21st Century. HCDA replaced the restaurant's dated fast-food style booths, removed partitioning

that separated the restaurant from the hotel's courtyard and laid eyecatching Amtico flooring throughout.

HCDA chose Gingham, a predefined colour and pattern combination from the Amtico Designers' Choice Collection. To complement the large space, the design was scaled-up, creating a look that is unique to the Tullamore Court Hotel. The resulting design is modern, tasteful and successfully reinvigorates the restaurant.

Featured
Graphite Slate
Basilica Salt
Kura Caraway



amtico signature

A unique palette of colours and shapes to create inspiring flooring design.

This sophisticated collection combines original palettes, distinctive patterns and stunning details. The design-led, high-performance LVT products have a total thickness of 2.5mm and a 1mm wear layer. Signature Products also carry a 20 year warranty.

217

Products

23 Signature

Laying Patterns

Ways to Specify



Featured

Graphite Slate Basilica Salt Kura Caraway





amtico signature

Laying Pattern

Check

Designers' Choice Code

DC304 Gingham

Utilising an attractive Check laying pattern, Gingham provides modern style in a trio of monochromatic tones. While Gingham is offered as standard in 6-inch square tiles, the designers of this project chose an upscaled version to better suit the large space.

Featured in this design





Graphite Slate AROSSL23

Kura Caraway AROSKU38



Basilica Salt AROSBS12

abla

Featured

Graphite Slate Basilica Salt Kura Caraway

Bold statements. Big ideas. What our clients say.

"For this project, the flooring design consisted of three different colours, which were laid to create a tartan-effect pattern. Amtico provided excellent instructions and we would definitely use them again; we prefer fitting Amtico to any other LVT."

"The restaurant's existing carpet and timber floors were extremely tired and well worn, so durability was a key factor when choosing its replacement. Amtico is known for its hard-wearing products and Lam confident that the flooring will easily stand up to this busy hotel's requirements. "The diversity of Amtico's designs led us to create a bespoke up-scaled look that is contemporary, fresh and airy and, importantly, in keeping with the overall character

Robert Kerbey
Owner and Director
LRK Flooring Systems Ltd

Eoghan ó Cathasaigh Design Director Helen Casey Design Associates Ltd

of the property."

Collection Overview

Hard surface						
▼ Glue Down LVT		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
amtico signature	A unique palette of colours and shapes to create inspiring flooring design.	1 mm	~	20	217	13
amtico signature 36+	Safety flooring with design sophistication.	1 mm	~	20	36	11
amtico form	Design-led flooring with natural textures.	0.7 mm		12	28	5
amtico spacia	Simple, accessible design-led flooring solutions.	0.55 mm	~	10	104	7
amtico spacia 36+	Slip-resistant tiles and planks with unrivalled design clarity.	0.55 mm	~	10	16	2
amtico first	Light commercial flooring with all the benefits of Amtico .	0.3 mm		7	36	4
▼ Loose Lay LVT		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
amtico access	Loose lay flooring that's quick to install.	0.55 mm		10	43	2
amtico clicksmart	Easy-fit click flooring with a rigid core.	0.55 mm		20	22	2

Specialist						
▼ Glue Down		Wear layer	Acoustic option	Warranty (years)	Total products	Total sizes
amtico cirro	PVC-free flooring with unrivalled performance.	0.55 mm		10	20	4

Soft surface						
▼ Tile		Pile thickness	Fibre	Warranty (years)	Total products	Total sizes
amtico carpet	High-performance carpet tiles that integrate with our LVT collections.	2.6 - 4.3 mm	6,6 nylon and polyamide	10	121	2
amtico entryway	Tough, resistant entrance tiles that protect your Amtico floor.	4.2-5.4 mm	6,6 and solution dyed nylon	10	18	1

Amtico Standards

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.



All Amtico LVT products and Amtico Cirro comply with Indoor Air Comfort Gold version 6.0 and are certified as low emissions products contributing to a healthy indoor environment.



Originating in Germany, The Blue Angel is a long-established standard for environmentally friendly products and services. In order to meet the criteria, Amtico Cirro's whole life cycle has been independently verified as safe for the environment.



All Amtico LVTs (excluding Spacia 36+ and Assura), Amtico Cirro and Amtico Carpet is certified as a low emissions building material by the Building Information Foundation RTS.

BREEAM

The Amtico Cirro range is comparable to Green Guide generic element 821570049 which has a rating of A residential and A+ educational. It is also comparable to Green Guide generic element 821570060 with a rating of A commercial and A+ for health and retail.

Samples and support

We offer expert support worldwide with a free online global supply service for samples. Full size samples are available from your Area Sales Manager.

For full collection details visit **amtico.com** or request our collection brochures.

Amtico UK & European Sales

+44 (0) 121 745 0800 samples@amtico.com

Amtico Head Office

+44 (0) 24 7686 1400 samples@amtico.com

Amtico International Germany

+49 (0) 2131 359 16 0 info@amtico.de

Amtico International France

+33 (0) 155 38 95 70 info@amtico.fr

Amtico International Scandinavia

+46 (0) 8 584 233 24 info@amtico.se

Amtico International Australia

+61 (0) 4777 08418 samples@amtico.com

Amtico International Asia

852 2327 7703 amples@amtico.com

Amtico International Middle East, Africa & India

+971 (0) 50 192 33 46 samples@amtico.com



