



Amtico Product Guide

2026





BRITISH
MANUFACTURING
EXPERTISE

Contents

Amtico collections	4
Amtico Signature	6
Amtico Décor	20
Amtico Form	26
Amtico Spacia	34
Stripping (Amtico Signature, Form & Spacia collections)	40
Amtico Bio	42
Amtico Acoustic	44
Amtico Safety	46
Amtico First	56
Amtico Access	62
Amtico Click Smart	66
Amtico Marine	70
Amtico Entryway	78
Adhesives	82
Accreditations	83

Hard surface


▼ Glue Down LVT		Wear layer	Acoustic option	Safety option	Antimicrobial as standard	Bio option	Warranty (years)	Total products	Total sizes
amtico signature	A unique palette of colours and shapes to create inspiring flooring design.	1 mm	✓	✓	✓	✓	20	167	13
amtico décor	An artisan collection, evocative of historical floor designs and interiors.	1 mm			✓	✓	20	45	
amtico form	Design-led flooring with natural characteristics.	0.7 mm	✓		✓	✓	12	40	3
amtico spacia	Beautifully simple LVT flooring that delivers every time.	0.55 mm	✓	✓	✓	✓	10	98	6
amtico first	Entry-level flooring solutions ideal for private developers.	0.3 mm	✓		✓		7	22	3
▼ Loose Lay LVT		Wear layer	Acoustic option	Safety option	Antimicrobial as standard	Bio option	Warranty (years)	Total products	Total sizes
amtico access	Loose lay flooring that's quick to install.	0.55 mm					10	24	3
amtico clicksmart	Easy-fit click flooring with a rigid core and integrated acoustic backing/underlay.	0.55 mm			✓		10	29	4

Specialist

▼ Glue Down		Wear layer	Acoustic option	Safety option	Antimicrobial as standard	Bio option	Warranty (years)	Total products	Total sizes
amtico marine	Premium Marine LVT flooring Made in Britain.	0.55 mm			✓	✓	10	56	10

Soft surface

▼ Tile		Pile thickness	Fibre	Safety option	Antimicrobial as standard	Bio option	Warranty (years)	Total products	Total sizes
amtico entryway	Tough, resistant entrance tiles that protect your Amtico floor.	4.2-5.4 mm	6,6 and solution dyed nylon				10	16	2



MADE IN
BRITAIN

Amtico Signature

A collection of extraordinary floors, ready to bring your space to life.

167 Products

- 76 Woods
- 48 Stones
- 43 Colour & Abstracts
- 23 Laying patterns

Total thickness: 2.5 mm
Wear layer: 1.0 mm
Designed & made in Britain



20YR COMMERCIAL
WARRANTY



ACOUSTIC



SAFETY



BIO



ANTIMICROBIAL

Stucco Clay, Stucco Pebble, Diffusion Cashew, Diffusion Chambray & Diffusion Malt - Bespoke & EP126 Pleat Insert



Packaging Information / Amtico Signature

Standard

	152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2mm (9 x 48")
Plank/Tile per Box	36	27	18	12	14	10	5	8	36	24	18	9	16
m ² per Box	2.508	2.508	2.508	2.508	2.601	4.18	2.787	6.688	2.508	2.508	2.508	2	4.4593
Weight (kg) per Box	8.16	8.18	8.16	8.39	8.39	14.01	10.04	22.73	8.19	8.13	8.19	6.73	15.54
Boxes per Pallet	72	72	72	72	72	40	40	20	72	72	72	90	40
m ² per Pallet	180.58	180.58	180.58	180.58	187.27	167.2	111.48	133.76	180.58	180.58	180.58	180	178.37
Weight (kg) per Pallet	605.95	607.47	605.95	622.79	622.25	578.78	423.77	473.04	608.31	604.14	608.31	627.31	643.61

Acoustic

	152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2mm (9 x 48")
Plank/Tile per Box	26	20	13	9	10	8	4	6	28	17	14	6	12
m ² per Box	1.81	1.86	1.81	1.88	1.858	3.344	2.23	5.01	1.951	1.777	1.951	1.34	3.344
Weight (kg) per Box	6.33	6.50	6.33	6.80	6.54	12.04	8.73	17.52	6.83	5.98	6.76	4.86	6.35
Boxes per Pallet	72	72	72	72	72	40	40	20	72	72	72	90	40
m ² per Pallet	130.44	133.78	130.44	135.45	133.78	133.76	89.19	100.34	140.47	127.93	140.47	121.27	133.76
Weight (kg) per Pallet	474.10	486.82	474.10	507.75	489.41	500.20	371.37	368.85	510.07	448.73	505.41	459.19	507.6

For Technical information please go to amtico.com/commercial/technical



Tollymore Oak - Stripwood & Gable Parquet Large DC357

Product Availability & Packaging Information / Amtico Signature Designers' Choice

Pattern Group	Size	Code	DC Product Selection Reference	Assigned Stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Parquet	Small	DC298	OM3 Onyx Marble		Plank: 76.2 x 228.6 mm (3 x 9")	144	2.5	8.13
		DC337	W771 Aged Oak					
		DC515	W864 Wharnclyffe Oak					
		DC516	W869 Marlow Oak					
		DC517	W879 Hackfall Oak					
		DC518	W744 Fresh Oak					
		DC519	W816 York Oak					
		DC634	W865 Clowes Oak W888 Buckingham Oak W864 Wharnclyffe Oak					
			DC635					
	Large			DC467	W845 Bordeaux Oak			
		DC520		W885 Berwick Oak				
		DC521	W866 Buxton Oak					
		DC522	W751 Golden Oak					
		DC523	W880 Yarncliff Oak					
	DC636	W875 Friston Oak W878 Kirby Oak W876 Tollymore Oak W888 Buckingham Oak W877 Hamsterley Oak						
		DC524	CA37 Grigio Classic Marble	MN30 Modernist Frame	Plank: 114.3 x 457.2 mm (4.5 x 18")	48	2.5	8.71
		DC525	RE29 Deptford Concrete	UC30 Stucco Putty				
		DC526	RH13 Grey Burnished Metal	PL45 Polished Copper				
DC637		SC10 Waterloo Concrete MA37 Ratley Stone TE49 Coombe Stone LS44 Wilmcote Limestone SC01 Ilmington Stone	SC10 Waterloo Concrete					
	Tile: 114.3 x 457.2 mm (4.5 x 18")	Stripping: 3.2 x 914.4 mm (1/8 x 36")						
Chevron		DC501	W865 Clowes Oak		Plank: 87.98 x 457.2 mm (3.46 x 18")	54	1.93	7.88
		DC527	W866 Buxton Oak					
		DC528	W874 Henley Oak					
		DC529	W879 Hackfall Oak					
Halcyon Pleat		DC423	W844 Rotterdam Oak		Plank: 131.98 x 914.4 mm (5.19 x 36")	18	1.99	8.74
		DC530	W881 Loughton Oak					
		DC531	W876 Tollymore Oak					
		DC532	W873 Whinlatter Oak					
Gable Parquet	Small	DC503	W864 Wharnclyffe Oak		Module: 304.8 x 304.8 mm (12 x 12") Supplied as a taped module (12 x 12")	27	2.5	8.71
		DC533	W869 Marlow Oak					
		DC534	W739 Worn Oak					
		DC535	W844 Rotterdam Oak					
	DC536	W872 Chargot Oak						
	Large	DC504	W791 Brushed Oak					
DC537		W876 Tollymore Oak	Supplied as a taped module (18 x 18")					
Chantilly Weave		DC502	W867 Malvern Oak		Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.91
		DC538	W866 Buxton Oak					
		DC539	W873 Whinlatter Oak					
		DC540	W771 Aged Oak					
		DC629	W845 Bordeaux oak W866 Buxton Oak					
Versailles Parquet		DC505	W889 Trevellas Oak		Module: 691.1 x 691.1 mm (27.2 x 27.2")	10	4.77	15.49
		DC541	W879 Hackfall Oak					
		DC542	W865 Clowes Oak					
		DC543	W875 Friston Oak					
Basket Weave		DC101	W786 Parisian Pine		Key: 114.3 x 114.3 mm (4.5 x 4.5")	Key: 192	Key: 2.5	Key: 8.61
		DC331	W827 Sanctuary Grain					
		DC544	W866 Buxton Oak					
		DC545	W798 Chateau Oak (key) W874 Henley Oak					
			DC546					

Product Availability & Packaging Information / Amtico Signature Designers' Choice

Pattern Group	Size	Code	DC Product Selection Reference	Assigned Stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box				
French Weave		DC277	W791 Brushed Oak		Module: 609.6 x 609.6 mm (24 x 24") Supplied as a taped module (24 x 24")	40	3.71	11.78				
		DC322	W832 Verbier Oak									
		DC547	W874 Henley Oak									
		DC548	W889 Trevellas Oak									
		DC549	W878 Kirby Oak									
		DC550	W880 Yarncliff Oak									
Castel Weave		DC266	W768 White Wash Wood		Tiles: 304.8 x 457.2 mm (12 x 18") 107.7 x 431 mm (4.24 x 16.97")	18	2.5	8.71				
		DC317	W763 Farmhouse Oak									
		DC318	W833 Alpine Oak									
		DC551	W865 Clowes Oak									
		DC552	W874 Henley Oak									
Pleat		DC126	W815 Cornish Oak		Pleat: 114.3 x 457.2 mm (4.5 x 18")	48	2.5	8.83				
		DC554	W875 Friston Oak									
		DC555	LK15 Shottery Limestone MA36 Whitley Stone MA32 Berkswell Stone									
			TE49 Coombe Stone RE31 Woolwich Concrete UC89 Stucco Nutmeg									
		DC557	SC10 Waterloo Concrete EN98 Encaustic Storm DF38 Diffusion Lux DF54 Diffusion Eve DF04 Diffusion Loam									
Lune	Small	DC559	SC10 Waterloo Concrete UC40 Stucco Haze		Module: 228.6 x 228.6 mm (9 x 9")	48	2.5	8.83				
		DC560	UC39 Stucco Flax UC40 Stucco Haze									
		DC561	UC47 Stucco Clay DF41 Diffusion Cashew									
		DC562	DF38 Diffusion Lux UC88 Stucco Opaline									
	DC633	SC12 Packwood Stone UC51 Stucco Roselle										
	Large	DC507	OM10 Bianca Classic Marble CA87 Verde Classic Marble						Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.17
DC563		CA37 Grigio Classic Marble OM30 Onyx Marble										
Arc	Small	DC508	TE41 Tempus Harmony SC10 Waterloo Concrete TE30 Tempus Embrace		Module: 152.4 x 304.8 mm (6 x 12")	27	2.5	8.55				
		DC564	OM30 Onyx Marble TE30 Tempus Embrace TE31 Tempus Soothe									
		DC565	DF39 Diffusion Chambray DF38 Diffusion Lux UC88 Stucco Opaline									
	Large	DC509	TE31 Tempus Soothe TE30 Tempus Embrace TE37 Tempus Pause						Module: 304.8 x 609.6 mm (12 x 24")	14	2.5	8.56
		DC566	CA37 Grigio Classic Marble OM30 Onyx Marble CA20 Nero Classic Marble									
Gatsby Square	Small	DC510	RE29 Deptford Concrete DF04 Diffusion Loam		Module: 304.8 x 304.8 mm (12 x 12") Supplied as a taped module (12 x 12")	27	2.5	8.32				
		DC567	EN83 Encaustic Kyanite DF54 Diffusion Eve									
		DC568	UC40 Stucco Haze UC88 Stucco Opaline									
		DC569	DF27 Diffusion Husk DF41 Diffusion Cashew									
	DC570	OM30 Onyx Marble CA20 Nero Classic Marble										
	Large	DC511	OM30 Onyx Marble CA37 Grigio Classic Marble						Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.31
		DC571	EN83 Encaustic Kyanite UC38 Stucco Pebble						Supplied as a taped module (18 x 18")			
DC632		RH44 Russet Burnished Metal W871 Darley Oak										

Product Availability & Packaging Information / Amtico Signature Designers' Choice

Pattern Group	Size	Code	DC Product Selection Reference	Assigned Stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Random Stone		DC362	TE37 Tempus Pause	MN13 Modernist Vault	Tiles: 152.4 x 457.2 mm (6 x 18") 228.6 x 457.2 mm (9 x 18") 304.8 x 457.2 mm (12 x 18") Stripping: 3 mm stripping cut to pre-defined lengths (see CAD drawing for detail)	18	2.5	8.71
		DC572	LK15 Shottery Limestone	RE31 Woolwich Concrete				
		DC573	TE49 Coombe Stone	MS43 Stria Basalt				
		DC574	MA36 Whitley Stone	MA32 Berkswell Stone				
		DC575	SL37 Kentmere Slate	UC30 Stucco Putty				
Large Flagstone	Large	DC576	LS44 Wilmcote Limestone	UC30 Stucco Putty	Tiles: 152.4 x 152.4 mm (6 x 6") 152.4 x 304.8 mm (6 x 12") cross-grain / straight-grain 304.8 x 304.8 mm (12 x 12") 152.4 x 457.2 mm (6 x 18") cross-grain / straight-grain 304.8 x 457.2 mm (12 x 18") cross-grain / straight-grain 457.2 x 457.2 mm (18 x 18") Stripping: 3 mm stripping cut to pre-defined lengths (see CAD drawing for detail)	27	2.5	7.95
		DC577	MN38 Modernist Spire	MS42 Stria Volcanic				
		DC578	KU31 Kura Kala	EC30 Exposed Concrete				
		DC579	SL37 Kentmere Slate	UC30 Stucco Putty				
Extra Large Flagstone	Extra Large	DC512	LK15 Shottery Limestone	RE31 Woolwich Concrete	Tiles: 450.85 x 679.45 mm (17.75 x 26.75") 450.85 x 450.85 mm (17.75 x 17.75") 222.25 x 450.85 mm (8.75 x 17.75") 222.25 x 222.25 mm (8.75 x 8.75") Stripping: 6.35 x 914.4 mm (1/4 x 36") Tiles size due to allowance of 6 mm stripping in design	10	2.5	7.95
		DC580	MA36 Whitley Stone	MN30 Modernist Frame				
		DC581	MN30 Modernist Frame	DF27 Diffusion Husk				
Grand Flagstone	Grand	DC513	MA32 Berkswell Stone	UC30 Stucco Putty	Tiles: 603.25 x 908.05 mm (23.75 x 35.75") 603.25 x 603.25 mm (23.75 x 23.75") 298.45 x 603.25 mm (11.75 x 23.75") 298.45 x 298.45 mm (11.75 x 11.75") Stripping: 6.35 x 914.4 mm (1/4 x 36") Tiles size due to allowance of 6 mm stripping in design	5	2.5	7.95
		DC582	RE33 Chatham Concrete	RE30 Tyne Concrete				
		DC583	KU39 Kura Anise	CN30 Concrete Pale				
Frame	Large	DC584	CA20 Nero Classic Marble	W810 Cirrus Air	Module: 609.6 x 914.4 mm (24 x 36") Tiles: 201.4 x 455.4 mm (7.93 x 17.93") 404.6 x 914.4 mm (15.93 x 36") Stripping: 3.2 x 914.4 mm (1/8 x 36")	10	2.5	8.51
		DC585	RE31 Woolwich Concrete	MS43 Stria Basalt				
		DC407	TE31 Tempus Soothe TE41 Tempus Harmony TE30 Tempus Embrace	TE31 Tempus Soothe				
		DC586	RE33 Chatham Concrete RE30 Tyne Concrete RE29 Deptford Concrete	MN30 Modernist Frame				
Key Stone	Mini	DC587	OM30 Onyx Marble TE30 Tempus Embrace (key)	Tile: 152.4 x 152.4 mm (6 x 6") Key: 50.8 x 50.8 mm (2 x 2")	108	2.5	8.13	
		DC588	CA20 Nero Classic Marble OM30 Onyx Marble (key)					
		DC589	SC10 Waterloo Concrete UC40 Stucco Haze (key)					
		DC590	UC15 Stucco Quartz UC39 Stucco Flax (key)					
		DC591	DF27 Diffusion Husk UC93 Stucco Mist UC51 Stucco Roselle (key)					
		DC592	RE31 Woolwich Concrete RE30 Tyne Concrete EN98 Encaustic Storm (key)					
	Small	DC514	LK15 Shottery Limestone SC37 Sloane Concrete (key)		Tile: 304.8 x 304.8 mm (12 x 12") Key: 63.5 x 63.5 mm (2.5 x 2.5")	27	2.5	8.13
		DC593	OM10 Bianca Classic Marble CA20 Nero Classic Marble (key)					
		DC594	SC10 Waterloo Concrete DF88 Diffusion Aloe (key)					

Product Availability & Packaging Information / Amtico Signature Designers' Choice

Pattern Group	Size	Code	DC Product Selection Reference	Assigned Stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Check		DC595	SC37 Sloane Concrete SC12 Packwood Stone		Tile: 152.4 x 152.4 mm (6 x 6")	108	2.5	8.13
		DC596	DF04 Diffusion Loam SC10 Waterloo Concrete					
		DC597	DF39 Diffusion Chambray UC88 Stucco Opaline UC40 Stucco Haze					
		DC598	EN18 Encaustic Okra UC88 Stucco Opaline DF88 Diffusion Aloe					
		DC630*	W890 Tay Oak					
		DC631	OM10 Bianca Classic Marble CA20 Nero Classic Marble					
Polygon Key	Mini	DC599	UC89 Stucco Nutmeg DF27 Diffusion Husk (key) TE49 Coombe Stone		Tiles: 114.3 x 228.6 mm (4.5 x 9") 80.77 x 80.77 mm (3.18 x 3.18") (grain direction of the key runs on the diagonal)	96	2.5	8.16
		DC600	MA32 Berkswell Stone UC30 Stucco Putty (key) MS33 Stria Rock					
		DC601	DF39 Diffusion Chambray DF38 Diffusion Lux (key) LK15 Shottery Limestone					
		DC602	CA37 Grigio Classic Marble CA53 Rosa Classic Marble (key) OM10 Bianca Classic Marble					
Random Plank	Large	DC626	AR0W8710 Darley Oak		Planks: 76.2 x 914.4 mm (3 x 36") 152.4 x 914.4 mm (6 x 36") 228.6 x 914.4 mm (9 x 36")	12	2.5	7.88
		DC627	AR0W8850 Berwick Oak					
		DC628	AR0W8770 Hamsterley Oak					

*Tiles must be tessellated to achieve pattern.


Product Availability & Packaging Information / Amtico Signature Endless Possibilities

Pattern Group	Size	Code	Description	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Parquet	Small	EP113	1-colour	Plank: 76.2 x 228.6 mm (3 x 9")	144	2.5	8.18
		EP110	2-colour				
		EP112	3-colour				
		EP635	5-colour				
	Large	EP107	1-colour	Plank: 114.3 x 457.2 mm (4.5 x 18")	48	2.5	8.74
		EP225	1-colour with stripping	Plank: 114.3 x 457.2 mm (4.5 x 18")			
				Stripping: 3.2 x 914.4 mm (1/8 x 36")			
		EP638	2-colour	Plank: 114.3 x 457.2 mm (4.5 x 18")			
		EP639	3-colour				
		EP636	5-colour				
EP637	5-colour with stripping	Plank: 114.3 x 457.2 mm (4.5 x 18")	Stripping: 3.2 x 914.4 mm (1/8 x 36")				
Chevron		EP501	1-colour	Plank: 87.98 x 457.2 mm (3.46 x 18")	54	1.93	7.88
Halcyon Pleat		EP421	1-colour	Plank: 131.98 x 914.4 mm (5.19 x 36")	18	1.99	8.74
Gable Parquet	Small	EP503	1-colour	Module: 304.8 x 304.8 mm (12 x 12")	27	2.5	8.73
	Large	EP504	1-colour	Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.34
Chantilly Weave		EP502	1-colour	Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	14.90
		EP629	2-colour				
Versailles Parquet		EP505	1-colour	Module: 691.1 x 691.1 mm (27.2 x 27.2")	10	4.776	15.49
Basket Weave		EP101	1-colour	Key: 114.3 x 114.3 mm (4.5 x 4.5")	192	2.5	14.40
		EP104	2-colour	Plank: 76.2 x 304.8 mm (3 x 12")	108	2.5	8.64
French Weave		EP272	1-colour	Module: 609.6 x 609.6 mm (24 x 24")	40	3.71	11.78
Castel Weave		EP263	1-colour	Tiles: 304.8 x 457.2 mm (12 x 18") 107.7 x 431 mm (4.24 x 16.97")	18	2.5	8.16
Pleat		EP126	1-colour	Pleat: 114.3 x 457.2 mm (4.5 x 18")	48	1.881	11.05
		EP127	3-colour				
		EP129	5-colour				
Lune	Small	EP506	2-colour	Module: 228.6 x 228.6 mm (9 x 9")	48	2.5	8.85
	Large	EP507	2-colour	Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.19
Arc	Small	EP508	1-colour	Module: 152.4 x 304.8 mm (6 x 12")	27	2.5	8.58
	Large	EP509	2-colour	Module: 304.8 x 609.6 mm (12 x 24")	14	2.5	8.59
Gatsby Square	Small	EP510	2-colour	Module: 304.8 x 304.8 mm (12 x 12")	27	2.5	8.34
	Large	EP511	2-colour	Module: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.34
Random Stone		EP179	1-colour with stripping	Tiles: 152.4 x 457.2 mm (6 x 18") 228.6 x 457.2 mm (9 x 18") 304.8 x 457.2 mm (12 x 18") Stripping: 3 mm stripping cut to pre-defined lengths (see CAD drawing for detail)	18	2.5	8.74

Product Availability & Packaging Information / Amtico Signature Endless Possibilities

Pattern Group	Size	Code	Description	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Large Flagstone	Large	EP137	1-colour with stripping	Tiles: 152.4 x 152.4 mm (6 x 6") 152.4 x 304.8 mm (6 x 12") cross-grain / straight-grain 304.8 x 304.8 mm (12 x 12") 152.4 x 457.2 mm (6 x 18") cross-grain / straight-grain 304.8 x 457.2 mm (12 x 18") cross-grain / straight-grain 457.2 x 457.2 mm (18 x 18") Stripping: 3 mm stripping cut to pre-defined lengths (see CAD drawing for detail)	27	2.5	9.14
Extra Large Flagstone	Extra Large	EP512	1-colour with stripping	Tiles: 450.85 x 679.45 mm (17.75 x 26.75") 450.85 x 450.85 mm (17.75 x 17.75") 222.25 x 450.85 mm (8.75 x 17.75") 222.25 x 222.25 mm (8.75 x 8.75") Stripping: 6.35 x 914.4 mm (1/4 x 36") Tiles size due to allowance of 6 mm stripping in design	10	2.5	7.98
Grand Flagstone	Grand	EP513	1-colour with stripping	Tiles: 603.25 x 908.05 mm (23.75 x 35.75") 603.25 x 603.25 mm (23.75 x 23.75") 298.45 x 603.25 mm (11.75 x 23.75") 298.45 x 298.45 mm (11.75 x 11.75") Stripping: 6.35 x 914.4 mm (1/4" x 36") Tiles size due to allowance of 6 mm stripping in design	5	2.5	7.98
Frame	Large	EP405	1-colour with stripping	Module: 609.6 x 914.4 mm (24 x 36") Tiles: 201.4 x 455.4 mm (7.93 x 17.93") 404.6 x 914.4 mm (15.93 x 36") Stripping: 3.2 x 914.4 mm (1/8 x 36")	1	2.78	9.46
		EP407	3-colour with stripping				
Key Stone	Mini	EP305	2-colour	Tile: 152.4 x 152.4 mm (6 x 6")	108	2.5	7.30
		EP309	3-colour	Key: 50.8 x 50.8 mm (2 x 2")	108	2.5	8.15
	Small	EP514	2-colour	Tile: 304.8 x 304.8 mm (12 x 12") Key: 63.5 x 63.5 mm (2.5 x 2.5")	27	2.5	7.90
Check		EP630*	1-colour	Tile: 152.4 x 152.4 mm (6 x 6")	108	2.5	8.15
		EP299	2-colour				
		EP303	3-colour				
Polygon Key	Mini	EP461	3-colour	Tiles: 114.3 x 228.6 mm (4.5 x 9") 80.77 x 80.77 mm (3.18 x 3.18") (grain direction of the key runs on the diagonal) Components packaged loose for installation (no tape applied)	96	2.5	8.18
Random Plank	Large	EP525	1-colour	Planks: 76.2 x 914.4 mm (3 x 36") 152.4 x 914.4 mm (6 x 36") 228.6 x 914.4 mm (9 x 36")	12	2.5	7.95
Checkerboard	Small	EP640	2-colour	Tile: 304.8 x 304.8 mm (12 x 12")	27	2.5	8.15
	Large	EP641	2-colour	Tile: 457.2 x 457.2 mm (18 x 18")	12	2.5	8.37

*Tiles must be tessellated to achieve pattern.



MADE IN
BRITAIN

Amtico Décor

Amtico Décor is an
artisan collection
of precision-cut
decorative floors.

45 Products
14 Laying patterns

Total thickness: 2.5 mm
Wear layer: 1.0 mm
UK made to order



20YR COMMERCIAL
WARRANTY



BIO



ANTIMICROBIAL



PRECISION-CUT
PIECES

Venetian Parquet Wood DC611



Pattern Group	Size Name	Item Code	Components	DC Product Selection Reference	Surface Finish	Dimensions	Comments	
Classic		DC257	A B	PN11 Pure Plain White SL23 Graphite Slate	CE CE	Module: 304.8 x 304.8 mm (12 x 12")	1x 12 x 12" taped module supplied	
		DC313	A B	PN11 Pure Plain White PN22 Pure Plain Black	CE CE			
		DC623	A B C D E	UC39 Stucco Flax DF39 Diffusion Chambray DF04 Diffusion Loam UC15 Stucco Quartz UC30 Stucco Putty	CE CE CE CE CE			
		DC487	A B C D E	DF39 Diffusion Chambray UC15 Stucco Quartz SL23 Graphite Slate UC47 Stucco Clay EN45 Encaustic Jasper	CE CE CE CE CE			
		DC294	A B C	OM3 Onyx Marble KU38 Kura Caraway MS42 Stria Volcanic	CE CE CE			
		DC488	A B	UC30 Stucco Putty UC15 Stucco Quartz	CE CE			
Geo		DC489	A B	UC38 Stucco Pebble UC15 Stucco Quartz	CE CE	Module: 228.6 x 228.6 mm (9 x 9")	2x 9 x 9" taped modules supplied	
		DC482	A B	SL23 Graphite Slate PN11 Pure Plain White	CE CE			
		DC490	A B	DF39 Diffusion Chambray UC15 Stucco Quartz	CE CE			
		DC491	A B	UC39 Stucco Flax UC15 Stucco Quartz	CE CE			
Echo		DC456	A B	SL23 Graphite Slate OM3 Marble	CE CE	Module: 228.6 x 228.6 mm (9 x 9")	1x 9 x 9" taped module supplied	
		DC492	A B	MN31 Modernist Lintel MN38 Modernist Spire	CE CE			
		DC493	A B	UC47 Stucco Clay UC15 Stucco Quartz	CE CE			
		DC494	A B C D	UC47 Stucco Clay UC15 Stucco Quartz EN45 Encaustic Jasper UC30 Stucco Putty	CE CE CE CE			
Victorian Star	Small	DC495	A B C	UC39 Stucco Flax UC91 Stucco Indigo UC15 Stucco Quartz	CE CE CE	Module: 228.6 x 228.6 mm (9 x 9")	Single module to be tessellated to create design layout	
		DC624	A B C	MN31 Modernist Lintel DF04 Diffusion Loam UC15 Stucco Quartz	CE CE CE			
		DC471	A B	SL23 Graphite Slate OM3 Onyx Marble	CE CE			
		DC472	A	W791 Brushed Oak	BW			
	Large	DC473	A	W816 York Oak	WE			
		DC497	A B C	UC15 Stucco Quartz UC30 Stucco Putty UC38 Stucco Pebble	CE CE CE			Tile: 215.9 x 215.9 mm (8.5 x 8.5") Key: 88.9 x 88.9 mm (3.5 x 3.5")
DC625	A B C	UC15 Stucco Quartz MN31 Modernist Lintel DF04 Diffusion Loam	CE CE CE					
DC499	A B	UC15 Stucco Quartz UC39 Stucco Flax	CE CE					
DC477	A B	OM3 Onyx Marble SL23 Graphite Slate	CE CE					
Chequer		DC500	A B	SL23 Graphite Slate EN45 Encaustic Jasper	CE CE	Tile: 101.6 x 101.6 mm (4 x 4")	Tiles supplied individually / not taped	
		DC485	A B	SL23 Graphite Slate PN11 Pure Plain White	CE CE			
Akari Lattice	Small	DC603	A	W8890 Trevellas Oak	WT	Module: 228.6 x 228.6 mm (9 x 9")	1x 9x9" taped module supplied	
		DC604	A	W7520 White Oak	WE			
		DC605	A	W8720 Chargot Oak	WE			
		DC606	A	W8900 Tay Oak	WT			
	Large	DC607	A	W8890 Trevellas Oak	WT		Module: 304.8 x 304.8 mm (12 x 12")	1x 12x12" taped module supplied
		DC608	A	W7520 White Oak	WE			
DC609	A	W8720 Chargot Oak	WE					
DC610	A	W8900 Tay Oak	WT					

Pattern Group	Size Name	Item Code	Components	DC Product Selection Reference	Surface Finish	Dimensions	Comments
Venetian Parquet Wood		DC611	A	W8660 Buxton Oak	WT	Module: 152.4 x 457.2 mm (6 x 18") Tile: 76.2 x 368.3 mm (3 x 14.5") Key: 152.4 x 139.7 mm (6 x 5.5")	Tiles and Key supplied individually / not taped, in 1 box
		DC612	A	W7910 Brushed Oak	BW		
		DC613	A	W8720 Chargot Oak	WE		
		DC614	A	W8900 Tay Oak	WT		
Venetian Parquet Stone		DC615	A B C	CA37 Grigio Classic Marble OM30 Onyx Marble CA20 Nero Classic Marble	CE CE CE	Module: 152.4 x 457.2 mm (6 x 18") Tile: 76.2 x 368.3 mm (3 x 14.5") Key: 152.4 x 139.7 mm (6 x 5.5")	Tiles and Key supplied individually / not taped, in 1 box
		DC616	A B C	CA53 Rosa Classic Marble OM30 Onyx Marble CA37 Grigio Classic Marble	CE CE CE		
Temple Diamond		DC617	A B C	OM30 Onyx Marble CA20 Nero Classic Marble CA37 Grigio Classic Marble	CE CE CE	Module: 304.8 x 203.2 mm (12 x 8") Size is same for both A + B Module	Individual 1x A + 1x B taped modules supplied. Alternate modules A + B horizontally and vertically to create pattern repeat.
		DC618	A B C	OM30 Onyx Marble RE33 Chatham Concrete UC92 Stucco Huckleberry	CE CE CE		
		DC619	A B C	OM10 Bianca Classic Marble CA20 Nero Classic Marble CA87 Verde Classic Marble	CE CE CE		
Corinthian		DC620	A B C	SC10 Waterloo Concrete MA32 Berkswell Stone MA36 Whitley Stone	CE CE CE	Module: 304.8 x 304.8 mm (12 x 12")	1x 12x12" taped module supplied Module to be tessellated to maximise variation
		DC621	A B C	TE31 Tempus Soothe TE30 Tempus Embrace TE37 Tempus Pause	CE CE CE		
		DC622	A B C	OM30 Onyx Marble TE31 Tempus Soothe UC40 Stucco Haze	CE CE CE		

Pattern Group	Size Name	Item Code	Bevelled	Components	Dimensions
Motif	Rosette Small	MC120	N	A B	736.6 x 1041.4 mm (29 x 41")
Motif	Rosette Large	MC125	N	A B C	1158 x 1676.4 mm (45.6 x 66")

Pattern Group	Border Option	Corner Option	Recommended Perimeter Fill Product	
Classic	DC257B A B	PN11 White SL23 Graphite Slate	DC257C A B PN11 White SL23 Graphite Slate	SL23 Graphite Slate
Borders and corners can be selected from the standard Signature borders / corners collection - if corner is not desired, border should be mitred on site.		Borders and corners can be selected from the standard Signature borders / corners collection - if corner is not desired, border should be mitred on site.		
Perimeter tiles recommended in a product from within the pattern itself or another complementary Signature product. This should be ordered at the same time as the pattern to ensure best quality.		Perimeter tiles recommended in a product from within the pattern itself or another complementary Signature product. This should be ordered at the same time as the pattern to ensure best quality.		
Classic	DC296B A B C	OM3 Onyx Marble MS42 Stria Volcanic KU38 Kura Caraway	DC296C A B C OM3 Onyx Marble MS42 Stria Volcanic KU38 Kura Caraway	KU38 Kura Caraway MS42 Stria Volcanic OM3 Onyx Marble in standard sizes (ref. Signature Matrix)

Borders and corners can be selected from the standard Amtico Signature borders / corners collection - if corner is not desired, border should be mitred on site. Perimeter tiles recommended in a product from within the pattern itself or another complementary Signature product. This should be ordered at the same time as the pattern to ensure best quality.

Product bevelled as standard.
Not available in Amtico Safety and Acoustic.
Available Commercially up to 25m².
EP options are not available.
Rosette motif is only available in the Amtico Décor collection.


Packaging Information / Amtico Décor

	4 x 4" (Chequer)	6 x 18" (Venetian Parquet Wood & Venetian Parquet Stone)	8.5 x 8.5" (Octagon Key)	9 x 9" (Echo, Geo, Victorian Star Small, Akari Lattice Small)	12 x 12" (Classic, Corinthian, Victorian Star Large & Akari Lattice Large)	12 x 8" (Temple Diamond)
Modules per box	243	36	48	16	9	18
M ² per box	2.508	2.02	2.23	0.836	0.836	2.30
Weight (kg) per box	6.34	8.13	7.27	2.74	2.81	8.35
Boxes per pallet	72	72	48	72	72	72
M ² per pallet	180.58	145.44	107.04	60.19	60.19	165.6
Weight (kg) per pallet	618.89	603.79	367.62	215.45	220.65	619.8

The maximum box quantity of the Octagons is 48 and the Keys is 240. The above data is based on the maximum amount of product in a box. The Octagons and the Keys are boxed separately. The correct number of Keys will be calculated depending on the meterage ordered, which means that the box weights will differ. The Keys will be supplied taped, typically in a row of one. We recommend an upper limit of 25 m² for Décor products.



Temple Diamond DC618



MADE IN
BRITAIN

Amtico Form

Amtico Form is a highly tactile LVT flooring of authentic Wood & Stone designs.

40 Products

34 Woods

6 Stones

Total thickness: 2.5 mm

Wear layer: 0.7 mm

Designed & Made in Britain



12YR COMMERCIAL
WARRANTY



ACOUSTIC



BIO



ANTIMICROBIAL

Matlo Oak - Chevron



Size & Specification

Product Name	Product Code	Acoustic Product Code	Surface Texture	Straight Grain			Laying Patterns					
				152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Chevron 87.98 x 457.2 mm (3.46 x 18")	Basket Weave 76.2 x 304.8 mm (3 x 12") 114.3 x 114.3 mm (4.5 x 4.5") (key)	Broad Weave 152.4 x 304.8 mm (6 x 12") 152.4 x 152.4 mm (6 x 6") (key)	Small Parquet 76.2 x 228.6 mm (3 x 9")	Large Parquet 114.3 x 457.2 mm (4.5 x 18")	Pavestone 152.4 x 304.8 mm (6 x 12") 304.8 x 304.8 mm (12 x 12") 304.8 x 457.2 mm (12 x 18") 32 x 914.4 mm (1/8 x 36") (stripping)
Alta Oak	FS7W6050	FQ7W6050	Artisan Wood Emboss	•	•		FP273	FP301	FP239	FP171	FP195	
Amber Oak	FS7W8550	FQ7W8550	Artisan Wood Emboss	•	•		FP259	FP310	FP225	FP123	FP146	
Bergen Oak	FS7W8510	FQ7W8510	Artisan Wood Emboss	•	•		FP269	FP298	FP235	FP119	FP142	
Boardwalk Oak	FS7W8600	FQ7W8600	Artisan Wood Emboss	•	•		FP257	FP309	FP223	FP128	FP151	
Brae Oak	FS7W6160	FQ7W6160	Artisan Wood Emboss	•	•		FP284	FP216	FP250	FP182	FP206	
Brambly Oak	FS7W6180		Natural Wood Emboss	•	•		FP287	FP219	FP253	FP185	FP209	
Bureau Oak	FS7W5970	FQ7W9080	Artisan Wood Emboss	•	•		FP262	FP311	FP228	FP136	FP159	
Burnished Timber	FS7W9080	FQ7W5960	Artisan Wood Emboss	•	•		FP272	FP300	FP238	FP133	FP156	
Carved Oak	FS7W5960	FQ7W8590	Artisan Wood Emboss	•	•		FP261	FP106	FP227	FP135	FP158	
Cowrie Oak	FS7W8590	FQ7W8520	Artisan Wood Emboss	•	•		FP263	FP104	FP229	FP127	FP150	
Dusted Oak	FS7W8520	FQ7W6150	Artisan Wood Emboss	•	•		FP265	FP295	FP231	FP120	FP143	
Esker Oak	FS7W6150	FQ7W6060	Artisan Wood Emboss	•	•		FP283	FP215	FP249	FP181	FP205	
Falun Oak	FS7W6060	FQ7W8480	Artisan Wood Emboss	•	•		FP274	FP302	FP240	FP172	FP196	
Fawn Oak	FS7W8480	FQ7W6100	Artisan Wood Emboss	•	•		FP258	FP102	FP224	FP116	FP139	
Flora Oak	FS7W6100	FQ7W6120	Natural Wood Emboss	•	•		FP278	FP306	FP244	FP176	FP200	
Foreshore Oak	FS7W6120	FQ7W6070	Artisan Wood Emboss	•	•		FP280	FP308	FP246	FP178	FP202	
Furrowed Oak	FS7W6070	FQ7W8470	Artisan Wood Emboss	•	•		FP275	FP303	FP241	FP173	FP197	
Gotland Oak	FS7W8470	FQ7W6110	Artisan Wood Emboss	•	•		FP268	FP101	FP234	FP115	FP138	
Hanningfield Oak	FS7W6190	FQ7W6190	Natural Wood Emboss	•	•		FP288	FP220	FP254	FP186	FP210	
Keel Oak	FS7W6110	FQ7W6080	Artisan Wood Emboss	•	•		FP279	FP307	FP245	FP177	FP201	
Laholm Oak	FS7W6230	FQ7W6130	Natural Wood Emboss	•	•		FP286	FP218	FP252	FP184	FP208	
Langdon Oak	FS7W6210	FQ7W6210	Natural Wood Emboss	•	•		FP289	FP221	FP255	FP187	FP211	
Larvik Oak	FS7W6080	FQ7W6140	Artisan Wood Emboss	•	•		FP276	FP304	FP242	FP174	FP198	
Matlo Oak	FS7W6130	FQ7W5950	Artisan Wood Emboss	•	•		FP281	FP213	FP247	FP179	FP203	
Native Grey Wood	FS7W9060	FQ7W8570	Artisan Wood Emboss	•	•		FP271	FP299	FP237	FP137	FP160	
Otta Oak	FS7W6140	FQ7W8580	Artisan Wood Emboss	•	•		FP282	FP214	FP248	FP180	FP204	
Rural Oak	FS7W5950	FQ7W6170	Artisan Wood Emboss	•	•		FP260	FP105	FP226	FP134	FP157	
Seaboard Oak	FS7W8570	FQ7W6090	Artisan Wood Emboss	•	•		FP264	FP294	FP230	FP125	FP148	
Shell Oak	FS7W8580	FQ7W8620	Artisan Wood Emboss	•	•		FP266	FP296	FP232	FP126	FP149	
Shoal Oak	FS7W6170	FQ7W6180	Natural Wood Emboss	•	•		FP285	FP217	FP251	FP183	FP207	
Skara Oak	FS7W6090	FQ7W6190	Natural Wood Emboss	•	•		FP277	FP305	FP243	FP175	FP199	
Strand Oak	FS7W8620	FQ7W6210	Artisan Wood Emboss	•	•		FP267	FP297	FP233	FP124	FP147	
Thorndon Oak	FS7W6220	FQ7W6220	Natural Wood Emboss	•	•		FP290	FP222	FP256	FP188	FP212	
Valley Oak	FS7W9040	FQ7W9040	Artisan Wood Emboss	•	•		FP270	FP114	FP236	FP131	FP154	
Ammonite	FS7S4800	FQ7S4800	Ceramic Emboss			•				FP169	FP193	FP292
Char	FS7S4810	FQ7S4810	Ceramic Emboss			•				FP170	FP194	FP293
Crema	FS7S4370	FQ7S4370	Ceramic Emboss			•				FP167	FP191	FP111
Mineral	FS7S4350	FQ7S4350	Ceramic Emboss			•				FP165	FP189	FP110
Opal	FS7S4380	FQ7S4380	Ceramic Emboss			•				FP168	FP192	FP291
Tidal	FS7S4340	FQ7S4340	Ceramic Emboss			•				FP166	FP190	FP109

For more information on Amtico Bio please see pages 42-43.

Products bevelled as standard.

Standard

	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")
Plank/tile per box	18	9	14
M ² per box	2.50	2.00	2.601
Weight (kg) per box	8.92	7.40	9.32
Boxes per pallet	72	90	72
M ² per pallet	180.00	181.80	187.92
Weight (kg) per pallet	642	666	671

Acoustic

	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")
Plank/tile per box	14	6	10
M ² per box	1.95	1.34	1.858
Weight (kg) per box	7.51	5.34	7.19
Boxes per pallet	72	90	72
M ² per pallet	140.40	120.6	133.78
Weight (kg) per pallet	540	481	518

Laying Patterns


	Pavestone	Chevron	Basket Weave	Broad Weave	Large Parquet	Large Parquet Acoustic	Small Parquet	Small Parquet Acoustic
Plank/tile per box	18	54	192	48	48	36	144	108
M ² per box	2.50	1.93	2.50	2.50	2.50	1.88	2.50	1.88
Weight (kg) per box	8.88	7.04	9.12	9.12	9.91	7.45	8.91	7.24
Boxes per pallet	72	72	72	72	72	72	72	72
M ² per pallet	180.00	138.96	180.00	180.00	180.00	135.36	180.00	135.36
Weight (kg) per pallet	658.1	506.9	675.0	674.9	731.7	554.8	659.9	539.8

Pattern Group	Size	FP Code (Standard Product)	FP Code (Acoustic Product)	Product Selection Reference	Must be installed with stripping	Assigned Stripping	Dimensions	Box Quantites
Basket Weave		FP101		Gotland Oak			Plank: 76.2 x 304.8 mm (3 x 12") Key: 114.3 x 114.3 mm (4.5 x 4.5")	2.50 m ²
		FP102		Fawn Oak				
		FP104		Cowrie Oak				
		FP105		Rural Oak				
		FP106		Carved Oak				
		FP114		Valley Oak				
		FP213		Matlo Oak				
		FP214		Otta Oak				
		FP215		Esker Oak				
		FP216		Brae Oak				
		FP217		Shoal Oak				
		FP218		Laholm Oak				
		FP219		Brambly Oak				
		FP220		Hanningfield Oak				
		FP221		Langdon Oak				
		FP222		Thorndon Oak				
		FP294		Seaboard Oak				
		FP295		Dusted Oak				
		FP296		Shell Oak				
		FP297		Strand Oak				
		FP298		Bergen Oak				
		FP299		Native Grey Wood				
		FP300		Burnished Timber				
		FP301		Alta Oak				
		FP302		Falun Oak				
		FP303		Furrowed Oak				
		FP304		Larvik Oak				
		FP305		Skara Oak				
		FP306		Flora Oak				
		FP307		Keel Oak				
		FP308		Foreshore Oak				
FP309		Boardwalk Oak						
FP310		Amber Oak						
FP311		Bureau Oak						
Broad Weave		FP223		Boardwalk Oak			Plank: 152.4 x 304.8 mm (6 x 12") Key: 152.4 x 152.4 mm (6 x 6")	2.50 m ²
		FP224		Fawn Oak				
		FP225		Amber Oak				
		FP226		Rural Oak				
		FP227		Carved Oak				
		FP228		Bureau Oak				
		FP229		Cowrie Oak				
		FP230		Seaboard Oak				
		FP231		Dusted Oak				
		FP232		Shell Oak				
		FP233		Strand Oak				
		FP234		Gotland Oak				
		FP235		Bergen Oak				
		FP236		Valley Oak				
		FP237		Native Grey Wood				
		FP238		Burnished Timber				
		FP239		Alta Oak				
		FP240		Falun Oak				
		FP241		Furrowed Oak				
		FP242		Larvik Oak				
		FP243		Skara Oak				
		FP244		Flora Oak				
		FP245		Keel Oak				
		FP246		Foreshore Oak				
		FP247		Matlo Oak				
		FP248		Otta Oak				
		FP249		Esker Oak				
		FP250		Brae Oak				
		FP251		Shoal Oak				
		FP252		Laholm Oak				
		FP253		Brambly Oak				
FP254		Hanningfield Oak						
FP255		Langdon Oak						
FP256		Thorndon Oak						
Chevron		FP257		Boardwalk Oak			Plank: 87.98 x 457.2 mm (3.46 x 18")	1.93 m ²
		FP258		Fawn Oak				
		FP259		Amber Oak				
		FP260		Rural Oak				
		FP261		Carved Oak				
		FP262		Bureau Oak				
		FP263		Cowrie Oak				
		FP264		Seaboard Oak				
		FP265		Dusted Oak				
		FP266		Shell Oak				
		FP267		Strand Oak				
		FP268		Gotland Oak				
		FP269		Bergen Oak				


Pattern Group	Size	FP Code (Standard Product)	FP Code (Acoustic Product)	Product Selection Reference	Must be installed with stripping	Assigned Stripping	Dimensions	Box Quantites
Chevron		FP270		Valley Oak			Plank: 87.98 x 457.2 mm (3.46 x 18")	1.93 m ²
		FP271		Native Grey Wood				
		FP272		Burnished Timber				
		FP273		Alta Oak				
		FP274		Falun Oak				
		FP275		Furrowed Oak				
		FP276		Larvik Oak				
		FP277		Skara Oak				
		FP278		Flora Oak				
		FP279		Keel Oak				
		FP280		Foreshore Oak				
		FP281		Matlo Oak				
		FP282		Otta Oak				
		FP283		Esker Oak				
		FP284		Brae Oak				
		FP285		Shoal Oak				
		FP286		Laholm Oak				
		FP287		Brambly Oak				
		FP288		Hanningfield Oak				
		FP289		Langdon Oak				
FP290		Thorndon Oak						
Parquet	Small	FP115	FP115A	Gotland Oak			Plank: 76.2 x 228.6 mm (3 x 9")	2.50 m ²
		FP116	FP116A	Fawn Oak				
		FP119	FP119A	Bergen Oak				
		FP120	FP120A	Dusted Oak				
		FP123	FP123A	Amber Oak				
		FP124	FP124A	Strand Oak				
		FP125	FP125A	Seaboard Oak				
		FP126	FP126A	Shell Oak				
		FP127	FP127A	Cowrie Oak				
		FP128	FP128A	Boardwalk Oak				
		FP131	FP131A	Valley Oak				
		FP133	FP133A	Burnished Timber				
		FP134	FP134A	Rural Oak				
		FP135	FP135A	Carved Oak				
		FP136	FP136A	Bureau Oak				
		FP137	FP137A	Native Grey Wood				
		FP165	FP165A	Mineral				
	FP166	FP166A	Tidal					
	FP167	FP167A	Crema					
	FP168	FP168A	Opal					
	FP169	FP169A	Ammonite					
	FP170	FP170A	Char					
	FP171	FP171A	Alta Oak					
	FP172	FP172A	Falun Oak					
	FP173	FP173A	Furrowed Oak					
	FP174	FP174A	Larvik Oak					
	FP175	FP175A	Skara Oak					
	FP176	FP176A	Flora Oak					
	FP177	FP177A	Keel Oak					
	FP178	FP178A	Foreshore Oak					
	FP179	FP179A	Matlo Oak					
FP180	FP180A	Otta Oak						
FP181	FP181A	Esker Oak						
FP182	FP182A	Brae Oak						
FP183	FP183A	Shoal Oak						
FP184	FP184A	Laholm Oak						
FP185	FP185A	Brambly Oak						
FP186	FP186A	Hanningfield Oak						
FP187	FP187A	Langdon Oak						
FP188	FP188A	Thorndon Oak						
Large		FP138	FP138A	Gotland Oak			Plank: 114.3 x 457.2 mm (4.5 x 18")	1.88 m ²
		FP139	FP139A	Fawn Oak				
		FP142	FP142A	Bergen Oak				
		FP143	FP143A	Dusted Oak				
		FP146	FP146A	Amber Oak				
		FP147	FP147A	Strand Oak				
		FP148	FP148A	Seaboard Oak				
		FP149	FP149A	Shell Oak				
		FP150	FP150A	Cowrie Oak				
		FP151	FP151A	Boardwalk Oak				
		FP154	FP154A	Valley Oak				
		FP156	FP156A	Burnished Timber				
		FP157	FP157A	Rural Oak				
		FP158	FP158A	Carved Oak				
FP159	FP159A	Bureau Oak						
FP160	FP160A	Native Grey Wood						
FP189	FP189A	Mineral						
FP190	FP190A	Tidal						
FP191	FP191A	Crema						
FP192	FP192A	Opal						

Product Availability & Packaging Information / Amtico Form

Pattern Group	Size	FP Code (Standard Product)	FP Code (Acoustic Product)	Product Selection Reference	Must be installed with stripping	Assigned Stripping	Dimensions	Box Quantities
Parquet	Large	FP193	FP193A	Ammonite			Plank: 114.3 x 457.2 mm (4.5 x 18")	1.88 m ²
		FP194	FP194A	Char				
		FP195	FP195A	Alta Oak				
		FP196	FP196A	Falun Oak				
		FP197	FP197A	Furrowed Oak				
		FP198	FP198A	Larvik Oak				
		FP199	FP199A	Skara Oak				
		FP200	FP200A	Flora Oak				
		FP201	FP201A	Keel Oak				
		FP202	FP202A	Foreshore Oak				
		FP203	FP203A	Matlo Oak				
		FP204	FP204A	Otta Oak				
		FP205	FP205A	Esker Oak				
		FP206	FP206A	Brae Oak				
FP207	FP207A	Shoal Oak						
FP208	FP208A	Laholm Oak						
FP209	FP209A	Brambly Oak						
FP210	FP210A	Hanningfield Oak						
FP211	FP211A	Langdon Oak						
FP212	FP212A	Thorndon Oak						
Pavestone		FP109		Tidal	Y	MS42 Stria Volcanic	Tiles: 152.4 x 304.8 mm (6 x 12") 304.8 x 304.8 mm (12 x 12") 304.8 x 457.2 mm (12 x 18") Stripping: 3.2 x 914.4 mm (1/8 x 36")	2.50 m ²
		FP110		Mineral	Y	CN30 Concrete Pale		
		FP111		Crema	Y	MS43 Stria Basalt		
		FP291		Opal	Y	UC30 Stucco Putty		
		FP292		Ammonite	Y	RE31 Woolwich Concrete		
		FP293		Char	Y	UC30 Stucco Putty		



Char - Pavestone FP293 & Stucco Putty stripping



BRITISH
MANUFACTURING
EXPERTISE

Amtico Spacia

A variety of wood and stone LVT flooring designs stocked in the UK that are easy-to-install, highly durable and work in all commercial settings.

98 Products:

63 Woods

35 Stones

Total thickness: 2.5 mm

Wear layer: 0.55 mm

Beautifully simple and
built to perform



10YR COMMERCIAL
WARRANTY



ACOUSTIC



SAFETY



BIO



ANTIMICROBIAL

Garda - Uniform Tile & Tailor Oak - Stripwood



Wood

Size & Specification

Product Name	Product Code	Surface Texture	Straight Grain		Laying Patterns			
			101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	Small Parquet (Tick Finish) 76.2 x 228.6 mm (3 x 9")	Small Parquet (Barnwood Finish) 76.2 x 228.6 mm (3 x 9")	Large Parquet (Tick Finish) 101.6 x 457.2 mm (4 x 18")	Large Parquet (Barnwood Finish) 101.6 x 457.2 mm (4 x 18")
Alverton Oak	SS5W1310	Tick	•	•	SP224		SP269	
Bexley Oak	SS5W1320	Tick	•	•	SP225		SP270	
Birchfield Oak	SS5W1100	Tick	•	•	SP204		SP249	
Black Walnut	SS5W2534	Tick	•	•	SP122		SP160	
Blanched Oak	SS5W1360	Tick	•	•	SP195		SP240	
Brewer Oak	SS5W1270	Barnwood	•	•		SP220		SP265
Bude Oak	SS5W1110	Tick	•	•	SP205		SP250	
Cabin Timber	SS5W1160	Barnwood	•	•		SP209		SP254
Carmel Oak	SS5W1150	Tick	•	•	SP208		SP253	
Chalked Oak	SS5W1350	Tick	•	•	SP194		SP239	
Clifton Oak	SS5W1040	Tick	•	•	SP198		SP243	
Coastal Pine	SS5W3029	Barnwood	•	•		SP127		SP165
Cove Salvaged Timber	SS5W1340	Barnwood	•	•		SP193		SP238
Craft Oak	SS5W1210	Tick	•	•	SP214		SP259	
Credenza Oak	SS5W3035	Barnwood	•	•		SP177		SP272
Dawlish Oak	SS5W1200	Tick	•	•	SP213		SP258	
Dry Cedar	SS5W2535	Barnwood	•	•		SP178		SP273
Dusky Walnut	SS5W2542	Tick	•	•	SP179		SP274	
Eden Oak	SS5W1010	Tick	•	•	SP180		SP227	
Featured Oak	SS5W2533	Tick / Barnwood	•	•	SP132	SP133	SP170	SP171
Grove Oak	SS5W1220	Tick	•	•	SP215		SP260	
Guild Oak	SS5W1230	Tick	•	•	SP216		SP261	
Hampton Oak	SS5W3031	Tick	•	•	SP181		SP228	
Harrier Oak	SS5W1380	Tick	•	•	SP196		SP241	
Hartland Oak	SS5W1180	Tick	•	•	SP211		SP256	
Honey Oak	SS5W2504	Tick / Barnwood	•	•	SP128	SP129	SP166	SP167
Iced Oak	SS5W3310	Tick	•	•	SP104		SP140	
Kew Oak	SS5W1390	Tick	•	•	SP197		SP242	
Langford Oak	SS5W1130	Tick	•	•	SP207		SP252	
Lodge Oak	SS5W1170	Barnwood	•	•		SP210		SP255
Lyndhurst Oak	SS5W1070	Tick	•	•	SP201		SP246	
Milliner Oak	SS5W1290	Tick	•	•	SP222		SP267	
Mulled Oak	SS5W3313	Tick	•	•	SP101		SP137	
Muted Oak	SS5W3312	Tick	•	•	SP102		SP138	
New England Oak	SS5W2527	Tick / Barnwood	•	•	SP182	SP183	SP229	SP230
Noble Oak	SS5W3030	Tick	•	•	SP121		SP159	
Nordic Oak	SS5W2550	Tick / Barnwood	•	•	SP124	SP125	SP162	SP163
Oyster Oak	SS5W1090	Tick	•	•	SP203		SP248	
Pale Ash	SS5W2518	Tick	•	•	SP120		SP158	
Powdered Oak	SS5W3311	Tick	•	•	SP103		SP139	
Royal Oak	SS5W2530	Tick / Barnwood	•	•	SP134	SP135	SP172	SP173
Saddler Oak	SS5W1240	Tick	•	•	SP217		SP262	
Sash Oak	SS5W3032	Tick	•	•	SP184		SP231	
Saunton Oak	SS5W1190	Tick	•	•	SP212		SP257	
Sherwood Oak	SS5W2532	Tick / Barnwood	•	•	SP185	SP186	SP232	SP233
Smoothbark Hickory	SS5W2545	Tick	•	•	SP187		SP234	
Stowe Oak	SS5W1120	Tick	•	•	SP206		SP251	
Sun Bleached Oak	SS5W2531	Barnwood	•	•		SP126		SP164
Tailor Oak	SS5W1280	Tick	•	•	SP221		SP266	
Tanner Oak	SS5W1250	Tick	•	•	SP218		SP263	
Tetbury Oak	SS5W1300	Tick	•	•	SP223		SP268	
Tidewood Oak	SS5W1050	Tick	•	•	SP199		SP244	
Traditional Oak	SS5W2514	Tick / Barnwood	•	•	SP130	SP131	SP168	SP169
Urban Salvaged Timber	SS5W3323	Barnwood	•	•		SP188		SP142
Washed Salvaged Timber	SS5W3322	Barnwood	•	•		SP189		SP141
Weathered Oak	SS5W2524	Barnwood	•	•		SP190		SP235
Wenlock Oak	SS5W1080	Tick	•	•	SP202		SP247	
Westmere Oak	SS5W1330	Tick	•	•	SP226		SP271	
White Ash	SS5W2540	Barnwood	•	•		SP123		SP161
White Oak	SS5W2548	Tick	•	•	SP191		SP236	
Wilton Oak	SS5W1060	Tick	•	•	SP200		SP245	
Windsor Oak	SS5W1260	Tick	•	•	SP219		SP264	
Worn Ash	SS5W2539	Barnwood	•	•		SP192		SP237

For Amtico Spacia Safety and Acoustic product details please see pages 52-53.
For more information on Amtico Bio please see pages 42-43.

Stone

Size & Specification

Product Name	Product Code	Surface Texture	Straight Grain			
			304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")
Abbey Stone	SS5S4570	Ceramic	•	•	•	•
Agora Limestone	SS5S6114	Ceramic	•	•	•	•
Amalfi	SS5S2609	Ceramic	•	•	•	•
Castello Stone	SS5S6118	Ceramic	•	•	•	•
Cementa Bilbao	SS5S4572	Ceramic	•	•	•	•
Cementa Tate	SS5S4405	Ceramic	•	•	•	•
Century Concrete	SS5S3069	Ceramic	•	•	•	•
Ceramic Ecru	SS5S3592	Ceramic	•	•	•	•
Ceramic Flint	SS5S2594	Ceramic	•	•	•	•
Como	SS5S2613	Ceramic	•	•	•	•
Court Stone	SS5S6116	Ceramic	•	•	•	•
Dover Stone	SS5S6121	Ceramic	•	•	•	•
Draycote Stone	SS5S6117	Ceramic	•	•	•	•
Fontana Marble Black	SS5S4573	Ceramic	•	•	•	•
Fontana Marble White	SS5S4574	Ceramic	•	•	•	•
Forum Stone	SS5S6115	Ceramic	•	•	•	•
Gallery Concrete	SS5S3071	Ceramic	•	•	•	•
Garda	SS5S2614	Ceramic	•	•	•	•
Gibson	SS5S2603	Ceramic	•	•	•	•
Mantle Stone	SS5S6122	Ceramic	•	•	•	•
Monument Concrete	SS5S3072	Ceramic	•	•	•	•
Paloma	SS5S2615	Ceramic	•	•	•	•
Pampas	SS5S2635	Ceramic	•	•	•	•
Piazza Caldera	SS5S2623	Ceramic	•	•	•	•
Piazza Montara	SS5S2622	Ceramic	•	•	•	•
Piazza Concrete	SS5S3070	Ceramic	•	•	•	•
Portico Stone	SS5S4402	Ceramic	•	•	•	•
Rialto Concrete	SS5S2611	Ceramic	•	•	•	•
Snow	SS5S2628	Ceramic	•	•	•	•
Stanton Stone	SS5S1593	Ceramic	•	•	•	•
Temple Stone	SS5S4403	Ceramic	•	•	•	•
Travertine Grigio	SS5S4404	Ceramic	•	•	•	•
Travertine Oro	SS5S6119	Ceramic	•	•	•	•
Vesper	SS5S2616	Ceramic	•	•	•	•
Villa Concrete	SS5S2612	Ceramic	•	•	•	•

For Amtico Spacia Safety and Acoustic product details please see pages 52-53.
For more information on Amtico Bio please see pages 42-43.


Packaging Information / Amtico Spacia

Standard

	101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 228.6 x 76.2 mm (9 x 3")	Large Parquet 457.2 x 101.6 mm (18 x 4")
Plank/Tile per Box	27	9	18	12	5	8	144	54
M ² per Box	2.5	2	2.5	2.5	2.78	6.69	2.5	2.5
Weight (kg) per Box	9.14	7.53	9.13	9.37	11.13	24.41	9.16	9.13
Boxes per Pallet	72	90	72	72	40	20	72	72
M ² per Pallet	180	180	180	180	111.20	133.80	180	180
Weight (kg) per Pallet	676.75	699.31	676.14	692.98	476.36	526.70	677.93	676.14

Acoustic

	101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 228.6 x 76.2 mm (9 x 3")	Large Parquet 457.2 x 101.6 mm (18 x 4")
Plank/Tile per Box	20	6	13	9	4	6	108	39
M ² per Box	1.86	1.34	1.81	1.88	2.23	5.01	1.88	1.81
Weight (kg) per Box	7.24	5.37	7.05	7.54	9.63	19.84	7.33	7.04
Boxes per Pallet	72	90	72	72	40	20	72	72
M ² per Pallet	133.92	120.6	130.32	135.36	89.2	100.2	135.36	130.32
Weight (kg) per Pallet	539.95	512.56	525.84	561.58	407.10	415.29	546.53	525.44



Wenlock Oak - Stripwood & Large Parquet SP247

Stripping (Amtico Signature, Form & Spacia collections)

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping. Available in a choice of five sizes.

Feature stripping is available in the following sizes, 2 mm thickness:*



19.1 x 914.4 mm



12.7 x 914.4 mm



9.5 x 914.4 mm



6.4 x 914.4 mm



3.2 x 914.4 mm



Dark Walnut
AROW7700



Ashdown Oak
AROW8680



Woolwich Concrete
AROSRE31



Wild Walnut
AROW7620



Cirrus Air
AROW8100



Mirabelle Creme
AROSMB14



Stucco Putty
AROAUC30



Stria Basalt
AROSMS43



Stria Volcanic
AROSMS42



Concrete Pale
AROSCN30



Deptford Concrete
AROSRE29



Modernist Frame
AROAMN30



Polished Silver**
AROAPL32



Polished Copper**
AROAPL45



Pure Plain Black
AROAPN22



Polished Gold**
AROAPL78

This is a small representation of available feature stripping, for full stripping availability please visit amtico.com/commercial/stripping

*Sizes shown are not actual size.

**Please note these products are available as straight grain and as standard stripping only.

Not available in Amtico Safety and Acoustic.

The above products are stocked, other products are available made to order.

Packaging Information / Stripping (Amtico Signature, Form & Spacia collections)


	3.2 x 914.4 mm (1/8 x 36")	6.4 x 914.4 mm (1/4 x 36")	9.5 x 914.4 mm (3/8 x 36")	12.7 x 914.4 mm (1/2 x 36")	19.1 x 914.4 mm (3/4 x 36")
Plank/Tile per Box	36	504	324	252	162
M ² per Box	0.104	0.209	0.418	0.313	0.627
Weight (kg) per Box	0.4555	0.7418	1.2284	1.0164	1.9642

For Technical information please go to amtico.com/commercial/technical

Making flooring fit for the future



SPECIFY AMTICO BIO FOR A LOWER CARBON FOOTPRINT



amtico bio


Specify Amtico Bio

Amtico Bio can be specified across planks and tiles in our Amtico Signature, Spacia,* Form and Marine collections. The bio-attributed content varies across the collections. Please see the technical specs for more information.

You can be sure when you choose Amtico Bio, you're contributing to a sustainable future for luxury vinyl flooring.

*Excluding Amtico Spacia Heritage Oaks.





AMTICO
ACOUSTIC

What silence looks like.

LVT with sound reduction

Increase your design choices and lower the sound with Amtico Acoustic

With Amtico Acoustic, you don't compromise design for performance. The endless range of palettes and patterns work in harmony with state-of-the-art sound reduction technology. So everyone benefits from a better acoustic experience.



**Minimise sound
transmission**

Reduce noise by up to 19dB




Reduce fatigue

Increased comfort
underfoot



Experience design freedom

Works with Signature, Form
and Spacia collections



Deliver more

Specify as an optional extra to
enhance acoustic performance

Experience design freedom

Amtico Acoustic works with products from our Amtico Signature, Form, Spacia and First collections.



Lock Oak - Stripwood

amtico signature

Discover the unlimited possibilities across Amtico Signature's unique Wood, Stone and Abstract palettes. Let the variety of tones and textures inspire your scheme and bring your space to life. Specify Amtico Signature Acoustic as a solution to solve sound issues by up to 18db within multi occupancy buildings whilst still obtaining a 20-year Commercial Warranty.

Please see pages 48-51 for Amtico Signature Acoustic products.




Char - Broken Bond

amtico form

The idea behind Amtico Form is simple. It looks like natural wood and stone while still performing effortlessly as LVT. For shared spaces, choose Amtico Form's optional Acoustic backing for sound reduction of up to 19dB between floors.

Please see page 28 for Amtico Form Acoustic products.




Tidewood Oak - Stripwood

amtico spacia

Amtico Spacia combines creative expression with a straightforward solution and is designed to perform at large scales. The acoustic backing helps dampen noise between floors by up to 18dB for more demanding spaces.

Please see pages 52-53 for Amtico Spacia Acoustic products.



Sun Washed Oak - Parquet 1P104

amtico first

No matter your project, budget or style - Amtico First's versatility makes designing and specifying your commercial floor satisfyingly straight-forward. The optional acoustic backing reduces impact sound transmission by up to 18dB.

Please see pages 58 for Amtico First Acoustic products.



Waterloo Concrete - Uniform Tile & Buckingham Oak - Stripwood

amtico safety

For safety beyond the surface.


With a versatile spectrum of designs and flexible plank and tile sizes including two parquet options, Amtico Safety, with its enhanced slip resistance and antimicrobial properties can support any commercial vision.



Antimicrobial protection proven to reduce and prevent bacteria



Safety floor with slip resistance for the life time of the product



Slip resistant particles throughout the wear layers



Reclaimed Oak - Halycon Pleat

amtico signature

Amtico Signature Safety delivers sustainable slip resistance but with the same extraordinary design philosophy that defines Amtico Signature.



Portico Stone - Uniform Tile

amtico spacia

Trend leading Amtico Spacia LVT designs combines with slip resistant particles and antimicrobial technology.

Product Availability / Amtico Spacia Safety, Acoustic & Safety Acoustic

Wood

Size & Specification

Product Name	Safety Product Code	Acoustic Product Code	Safety Acoustic Product Code	Straight Grain	
				101.6 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")
Alverton Oak	SG5W1310	SQ5W1310	SH5W1310	•	•
Bexley Oak	SG5W1320	SQ5W1320	SH5W1320	•	•
Birchfield Oak	SG5W1100	SQ5W1100	SH5W1100	•	•
Black Walnut	SG5W2534	SQ5W2534	SH5W2534	•	•
Blanched Oak	SG5W1360	SQ5W1360	SH5W1360	•	•
Brewer Oak	SG5W1270	SQ5W1270	SH5W1270	•	•
Bude Oak	SG5W1110	SQ5W1110	SH5W1110	•	•
Cabin Timber	SG5W1160	SQ5W1160	SH5W1160	•	•
Carmel Oak	SG5W1150	SQ5W1150	SH5W1150	•	•
Chalked Oak	SG5W1350	SQ5W1350	SH5W1350	•	•
Clifton Oak	SG5W1040	SQ5W1040	SH5W1040	•	•
Coastal Pine	SG5W3029	SQ5W3029	SH5W3029	•	•
Cove Salvaged Timber	SG5W1340	SQ5W1340	SH5W1340	•	•
Craft Oak	SG5W1210	SQ5W1210	SH5W1210	•	•
Credenza Oak	SG5W3035	SQ5W3035	SH5W3035	•	•
Dawlish Oak	SG5W1200	SQ5W1200	SH5W1200	•	•
Dry Cedar	SG5W2535	SQ5W2535	SH5W2535	•	•
Dusky Walnut	SG5W2542	SQ5W2542	SH5W2542	•	•
Eden Oak	SG5W1010	SQ5W1010	SH5W1010	•	•
Featured Oak	SG5W2533	SQ5W2533	SH5W2533	•	•
Grove Oak	SG5W1220	SQ5W1220	SH5W1220	•	•
Guild Oak	SG5W1230	SQ5W1230	SH5W1230	•	•
Hampton Oak	SG5W3031	SQ5W3031	SH5W3031	•	•
Harrier Oak	SG5W1380	SQ5W1380	SH5W1380	•	•
Hartland Oak	SG5W1180	SQ5W1180	SH5W1180	•	•
Honey Oak	SG5W2504	SQ5W2504	SH5W2504	•	•
Iced Oak	SG5W3310	SQ5W3310	SH5W3310	•	•
Kew Oak	SG5W1390	SQ5W1390	SH5W1390	•	•
Langford Oak	SG5W1130	SQ5W1130	SH5W1130	•	•
Lodge Oak	SG5W1170	SQ5W1170	SH5W1170	•	•
Lyndhurst Oak	SG5W1070	SQ5W1070	SH5W1070	•	•
Milliner Oak	SG5W1290	SQ5W1290	SH5W1290	•	•
Mulled Oak	SG5W3313	SQ5W3313	SH5W3313	•	•
Muted Oak	SG5W3312	SQ5W3312	SH5W3312	•	•
New England Oak	SG5W2527	SQ5W2527	SH5W2527	•	•
Noble Oak	SG5W3030	SQ5W3030	SH5W3030	•	•
Nordic Oak	SG5W2550	SQ5W2550	SH5W2550	•	•
Oyster Oak	SG5W1090	SQ5W1090	SH5W1090	•	•
Pale Ash	SG5W2518	SQ5W2518	SH5W2518	•	•
Powdered Oak	SG5W3311	SQ5W3311	SH5W3311	•	•
Royal Oak	SG5W2530	SQ5W2530	SH5W2530	•	•
Saddler Oak	SG5W1240	SQ5W1240	SH5W1240	•	•
Sash Oak	SG5W3032	SQ5W3032	SH5W3032	•	•
Saunton Oak	SG5W1190	SQ5W1190	SH5W1190	•	•
Sherwood Oak	SG5W2532	SQ5W2532	SH5W2532	•	•
Smoothbark Hickory	SG5W2545	SQ5W2545	SH5W2545	•	•
Stowe Oak	SG5W1120	SQ5W1120	SH5W1120	•	•
Sun Bleached Oak	SG5W2531	SQ5W2531	SH5W2531	•	•
Tailor Oak	SG5W1280	SQ5W1280	SH5W1280	•	•
Tanner Oak	SG5W1250	SQ5W1250	SH5W1250	•	•
Tetbury Oak	SG5W1300	SQ5W1300	SH5W1300	•	•
Tidewood Oak	SG5W1050	SQ5W1050	SH5W1050	•	•
Traditional Oak	SG5W2514	SQ5W2514	SH5W2514	•	•
Urban Salvaged Timber	SG5W3323	SQ5W3323	SH5W3323	•	•
Washed Salvaged Timber	SG5W3322	SQ5W3322	SH5W3322	•	•
Weathered Oak	SG5W2524	SQ5W2524	SH5W2524	•	•
Wenlock Oak	SG5W1080	SQ5W1080	SH5W1080	•	•
Westmere Oak	SG5W1330	SQ5W1330	SH5W1330	•	•
White Ash	SG5W2540	SQ5W2540	SH5W2540	•	•
White Oak	SG5W2548	SQ5W2548	SH5W2548	•	•
Wilton Oak	SG5W1060	SQ5W1060	SH5W1060	•	•
Windsor Oak	SG5W1260	SQ5W1260	SH5W1260	•	•
Worn Ash	SG5W2539	SQ5W2539	SH5W2539	•	•

Please note all Amtico Safety products have Ceramic (CE) emboss as standard.

Product Availability / Amtico Spacia Safety, Acoustic & Safety Acoustic

Stone

Size & Specification

Product Name	Safety Product Code	Acoustic Product Code	Safety Acoustic Product Code	Straight Grain				
				304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 609.6 mm (36 x 24")	914.4 x 914.4 mm (36 x 36")
Abbey Stone	SG5S4570	SQ5S4570	SH5S4570	•	•	•	•	•
Agora Limestone	SG5S6114	SQ5S6114	SH5S6114	•	•	•	•	•
Amalfi	SG5S2609	SQ5S2609	SH5S2609	•	•	•	•	•
Castello Stone	SG5S6118	SQ5S6118	SH5S6118	•	•	•	•	•
Cementa Bilbao	SG5S4572	SQ5S4572	SH5S4572	•	•	•	•	•
Cementa Tate	SG5S4405	SQ5S4405	SH5S4405	•	•	•	•	•
Century Concrete	SG5S3069	SQ5S3069	SH5S3069	•	•	•	•	•
Ceramic Ecu	SG5S3592	SQ5S3592	SH5S3592	•	•	•	•	•
Ceramic Flint	SG5S2594	SQ5S2594	SH5S2594	•	•	•	•	•
Como	SG5S2613	SQ5S2613	SH5S2613	•	•	•	•	•
Court Stone	SG5S6116	SQ5S6116	SH5S6116	•	•	•	•	•
Dover Stone	SG5S6121	SQ5S6121	SH5S6121	•	•	•	•	•
Draycote Stone	SG5S6117	SQ5S6117	SH5S6117	•	•	•	•	•
Fontana Marble Black	SG5S4573	SQ5S4573	SH5S4573	•	•	•	•	•
Fontana Marble White	SG5S4574	SQ5S4574	SH5S4574	•	•	•	•	•
Forum Stone	SG5S6115	SQ5S6115	SH5S6115	•	•	•	•	•
Gallery Concrete	SG5S3071	SQ5S3071	SH5S3071	•	•	•	•	•
Garda	SG5S2614	SQ5S2614	SH5S2614	•	•	•	•	•
Gibson	SG5S2603	SQ5S2603	SH5S2603	•	•	•	•	•
Mantle Stone	SG5S6122	SQ5S6122	SH5S6122	•	•	•	•	•
Monument Concrete	SG5S3072	SQ5S3072	SH5S3072	•	•	•	•	•
Paloma	SG5S2615	SQ5S2615	SH5S2615	•	•	•	•	•
Pampas	SG5S2635	SQ5S2635	SH5S2635	•	•	•	•	•
Piazza Caldera	SG5S2623	SQ5S2623	SH5S2623	•	•	•	•	•
Piazza Montara	SG5S2622	SQ5S2622	SH5S2622	•	•	•	•	•
Plaza Concrete	SG5S3070	SQ5S3070	SH5S3070	•	•	•	•	•
Portico Stone	SG5S4402	SQ5S4402	SH5S4402	•	•	•	•	•
Rialto Concrete	SG5S2611	SQ5S2611	SH5S2611	•	•	•	•	•
Snow	SG5S2628	SQ5S2628	SH5S2628	•	•	•	•	•
Stanton Stone	SG5S1593	SQ5S1593	SH5S1593	•	•	•	•	•
Temple Stone	SG5S4403	SQ5S4403	SH5S4403	•	•	•	•	•
Travertine Grigio	SG5S4404	SQ5S4404	SH5S4404	•	•	•	•	•
Travertine Oro	SG5S6119	SQ5S6119	SH5S6119	•	•	•	•	•
Vesper	SG5S2616	SQ5S2616	SH5S2616	•	•	•	•	•
Villa Concrete	SG5S2612	SQ5S2612	SH5S2612	•	•	•	•	•

Please note all Amtico Safety products have Ceramic (CE) emboss as standard.

Packaging Information / Amtico Signature Safety & Safety Acoustic

	152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")
Plank/Tile per Box	36	27	18	12	14	10	5	8	36	24	18	9	16
m ² per Box	2.508	2.508	2.508	2.508	2.601	4.18	2.787	6.688	2.508	2.508	2.508	2	4.4593
Weight (kg) per Box	8.28	8.31	8.28	8.52	8.52	14.22	10.18	23.06	8.32	8.26	8.32	6.83	15.76
Boxes per Pallet	72	72	72	72	72	40	40	20	72	72	72	90	40
m ² per Pallet	180.58	180.58	180.58	180.58	187.27	167.2	111.48	133.76	180.58	180.58	180.58	180	178.37
Weight (kg) per Pallet	614.98	616.50	180.58	631.82	631.61	587.14	429.33	479.73	617.34	613.12	617.34	636.31	652.58

	152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")
Plank/Tile per Box	26	20	13	9	10	8	4	6	28	17	14	6	12
m ² per Box	1.812	1.858	1.812	1.881	1.858	3.344	2.229	5.017	1.951	1.777	1.951	1.347	3.344
Weight (kg) per Box	6.51	6.69	6.51	6.98	6.73	12.04	8.96	17.77	6.80	6.36	6.96	4.99	12.49
Boxes per Pallet	72	72	72	72	72	40	40	20	48	72	72	90	40
m ² per Pallet	130.44	133.78	130.44	135.45	133.78	133.76	89.19	100.34	93.65	127.93	140.47	121.27	133.76
Weight (kg) per Pallet	487.14	500.20	487.14	521.29	502.79	500.17	380.29	373.87	344.84	476.63	519.46	471.32	499.6

Packaging Information / Amtico Spacia Safety & Safety Acoustic

	1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 76.2 x 228.6 mm (3 x 9")	Large Parquet 101.6 x 457.2 mm (4 x 18")
Plank/Tile per Box	27	9	18	12	5	8	144	54
M ² per Box	2.5	2.0	2.5	2.5	2.78	6.688	2.5	2.5
Weight (kg) per Box	8.42	7.63	9.28	9.49	11.27	25.74	9.28	9.26
Boxes per Pallet	72	90	72	72	40	20	72	72
M ² per Pallet	180	180	180	180	111.20	133.76	180	180
Weight (kg) per Pallet	624.46	708.34	686.30	702.00	472.92	533.30	686.93	685.15

	1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 76.2 x 228.6 mm (3 x 9")	Large Parquet 101.6 x 457.2 mm (4 x 18")
Plank/Tile per Box	20	6	15	9	4	6	108	39
M ² per Box	1.86	1.34	1.81	1.88	2.23	5.01	1.88	1.81
Weight (kg) per Box	7.09	5.38	7.14	7.64	9.74	20.70	7.43	7.14
Boxes per Pallet	72	90	72	72	40	20	72	72
M ² per Pallet	133.92	120.6	130.32	135.36	89.2	100.2	135.36	130.32
Weight (kg) per Pallet	529.19	505.97	532.36	568.36	411.56	432.52	553.3	532.36

Amtico First

A capsule collection of 22 designs and an introduction of parquet woods and stripping, selected specifically to suit the needs of commercial design.

22 Products:

16 Woods
6 Stones

Total thickness: 2 mm
Wear layer: 0.3 mm
Versatile Essentials



7YR COMMERCIAL WARRANTY



ACOUSTIC



ANTIMICROBIAL

Sun Washed Oak - Parquet 1P104



Wood

Size & Specification

Product Name	Product Code	Acoustic Product Code	Surface Texture	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Parquet 101.6 x 457.2 mm (4 x 18")
Beached Timber	SF3W1024	SL3W1024	Tick	•		
Buckwood Timber	SF3W1030	SL3W1030	Tick	•		
Dried Willow	SF3W1027	SL3W1027	Tick	•		1P105
English Oak	SF3W2498	SL3W2498	Tick	•		1P101
Falmouth Oak	SF3W1031	SL3W1031	Tick	•		
Harris Timber	SF3W1035	SL3W1035	Tick	•		
Heron Oak	SF3W1023	SL3W1023	Tick	•		1P109
Hunters Oak	SF3W1032	SL3W1032	Tick	•		1P108
Mead Oak	SF3W1034	SL3W1034	Tick	•		
Meadow Oak	SF3W1029	SL3W1029	Tick	•		1P107
Riverside Ash	SF3W1022	SL3W1022	Tick	•		
Salt Washed Timber	SF3W1021	SL3W1021	Tick	•		
Smokehouse Oak	SF3W1028	SL3W1028	Tick	•		1P106
Solstice Grain	SF3W1033	SL3W1033	Tick	•		
Springtide Oak	SF3W1025	SL3W1025	Tick	•		1P103
Sun Washed Oak	SF3W1026	SL3W1026	Tick	•		1P104

Stone

Size & Specification

Product Name	Product Code	Acoustic Product Code	Surface Texture	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Parquet 101.6 x 457.2 mm (4 x 18")
Arctic Ceramic	SF3S4436	SL3S4436	Ceramic		•	
Brisk Stone	SF3S4439	SL3S4439	Ceramic		•	
City Concrete	SF3S4438	SL3S4438	Ceramic		•	
Clarence Marble	SF3S4441	SL3S4441	Ceramic		•	
Dew Stone	SF3S4437	SL3S4437	Ceramic		•	
Storm Stone	SF3S4440	SL3S4440	Ceramic		•	

All products are Quantum Guard coated and micro-bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

First IRE

Size & Specification

Product Name	Product Code	Acoustic Product Code	Surface Texture	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Parquet 101.6 x 457.2 mm (4 x 18")
Dutch Oak	SF3W2778	N/A	IRE	•		
Harvest Oak	SF3W2774	N/A	IRE	•		
Trent Oak	SF3W2777	N/A	IRE	•		
Wheat Oak	SF3W2775	N/A	IRE	•		

All products are Quantum Guard coated and micro-bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping.

Feature stripping is available in the following size:*



*Size shown is not actual size.

Acoustic backing is not available on stripping. For Amtico First stripping packaging information please speak to your Area Sales Manager for the latest information.

Packaging Information / Amtico First

Standard

	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Parquet 101.6 x 457.2 mm (4 x 18")
Plank/Tile per Box	11	17	66
M ² per Box	2.47	3.159	3.066
Weight (kg) per Box	7.34	9.16	9.38
Boxes per Pallet	90	72	72
M ² per Pallet	222.3	227.45	220.75
Weight (kg) per Pallet	682.75	678.1	693.76


Acoustic

	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Parquet 101.6 x 457.2 mm (4 x 18")
Plank/Tile per Box	7	12	45
M ² per Box	1.57	2.23	2.09
Weight (kg) per Box	5.29	7.14	6.74
Boxes per Pallet	90	72	72
M ² per Pallet	141.3	160.56	150.48
Weight (kg) per Pallet	498.29	532.29	503.62

IRE

	184.2 x 1219.2 mm (7.25 x 48")
Plank/Tile per Box	9
M ² per Box	2
Weight (kg) per Box	3.8125
Boxes per Pallet	90
M ² per Pallet	180
Weight (kg) per Pallet	708.25

For Amtico First stripping packaging information please speak to your Area Sales Manager for the latest information. For Technical information please go to amtico.com/commercial/technical.



City Concrete – Broken Bond with Brisk Stone stripping

Amtico Access

Easy to fit, simple to maintain and perfect for raised access flooring, our loose lay LVT provides a straightforward solution to quick turnaround commercial refits.

24 Products:

15 Woods
6 Stones
3 Abstracts

Total thickness: 5.0 mm
Wear layer: 0.55 mm
3 sizes for simple installation

Winter Oak - Stripwood & Ceramic Ecrú - Bonded Stone



10YR COMMERCIAL
WARRANTY

Size & Specification

Straight Grain

Product Name	Product Code	Surface Texture	150 x 1000.5 mm (5.9 x 39.4")	450 x 450 mm (17.7 x 17.7")	914.4 x 914.4 mm (36 x 36")*
Bleached Elm	SX5W2516	Tick	•		
Brindle Oak	SX5W2657	Tick	•		
Cavalier Oak	SX5W5024	Tick	•		
Dusky Walnut	SX5W2542	Tick	•		
Honey Oak	SX5W2504	Tick	•		
Light Oak	SX5W2658	Tick	•		
Mountain Oak	SX5W2656	Tick	•		
Pale Ash	SX5W2518	Tick	•		
Shadow Oak	SX5W5022	Rustic	•		
Shibori Jasmine	SX5W7800	Tick	•		
Shibori Sencha	SX5W7780	Tick	•		
Soft Oak	SX5W2655	Tick	•		
Sun Bleached Oak	SX5W2531	Tick	•		
Traditional Oak	SX5W2514	Tick	•		
Winter Oak	SX5W5021	Rustic	•		
Brixton Grey	SX5S3080	Ceramic		•	
Camden Grey	SX5S3079	Ceramic		•	
Ceramic Ecru	SX5S3592	Ceramic		•	
Ceramic Flint	SX5S2594	Ceramic		•	
Hackney Grey	SX5S3082	Ceramic			•
Shoreditch Grey	SX5S3081	Ceramic			•
Metropolis Grey	SX5A5607	Ceramic		•	
Organza Weave	SX5A3806	Ceramic		•	
Satin Weave	SX5A3805	Ceramic		•	

*Please note that for this size tiles should always be installed tessellated.

All products are urethane coated and microbevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

	150 x 1000.5 mm (5.9 x 39.4")	450 x 450.0 mm (17.7 x 17.7")	914.4 x 914.4 mm (36 x 36")
Plank/Tile per Box	12	10	3
M ² per Box	1.80	2.025	2.51
Weight (kg) per Box	15.40	18	22.50
Boxes per Pallet	60	52	37
M ² per Pallet	108	105.30	92.87
Weight (kg) per Pallet	950	936	862.50

For Technical information please go to amtico.com/commercial/technical



Shoreditch Grey - Uniform Block

Amtico Click Smart

A straightforward and versatile click-vinyl floor, Amtico Click Smart uses the latest rigid core technology, making it quick to install, easy to maintain and designed to last.

29 Products:

20 Woods

9 Stones

6 Parquet Designs

Total thickness: 6 mm
(including foam backing)
Wear layer: 0.55 mm
Bevel as standard
Easy fit, rigid core



10YR COMMERCIAL WARRANTY



ACOUSTIC



ANTIMICROBIAL

Scandi Oak - Parquet CP05



Size & Specification

Product Name	Product Code	Surface Texture	Straight Grain			
			178.1 x 1244.6 mm (7 x 49")	178.1 x 1211.2 mm (7 x 47.7")	303.1 x 607.2 mm (11.9 x 23.9")	Parquet 114.3 x 609.6 mm (4.5 x 24")
Beachcomber Oak	SB5W3087	Barnwood	•			•
Chapel Oak	SB5W3014	Barnwood	•			
Clement Oak	SB5W3086	Barnwood	•			
Crest Oak	SB5W3076	IRE		•		
Dry Cedar	SB5W2535	Barnwood	•			
Featured Oak	SB5W2533	Tick	•			
Honey Oak	SB5W2504	Tick	•			
Hushed Oak	SB5W3084	Tick	•			•
Linden Oak	SB5W3010	Tick	•			•
Nimbus Oak	SB5W3075	IRE		•		
Nordic Oak	SB5W2550	Tick	•			•
Scandi Oak	SB5W3085	Barnwood	•			•
Smouldered Oak	SB5W3083	Tick	•			•
Summer Oak	SB5W3012	Tick	•			
Sun Bleached Oak	SB5W2531	Barnwood	•			
Treated Oak	SB5W3011	Tick	•			
Voyage Oak	SB5W3077	IRE		•		
Weathered Oak	SB5W2524	Barnwood	•			
White Ash	SB5W2540	Barnwood	•			
Worn Ash	SB5W2539	Barnwood	•			
Bay	SB5S2792	Ceramic			•	
Ceramic Frost	SB5S6100	Deep Ceramic			•	
Dappled Concrete	SB5S2793	Ceramic			•	
Linear Stone Shale	SB5S3606	Ceramic			•	
Lyme	SB5S2789	Ceramic			•	
Metropolis Smoke	SB5S2627	Ceramic			•	
Pale Limestone	SB5S2794	Ceramic			•	
Portland	SB5S2791	Ceramic			•	
Studland	SB5S2790	Ceramic			•	


All products are urethane coated and bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your local Amtico Sales Representative for the latest information.

	178.1 x 1244.6 mm (7 x 49")	178.1 x 1211.2 mm (7 x 48")	303.1 x 607.2 mm (11.9 x 24")	Parquet 114.3 x 609.6mm (4.5 x 24")
Plank/Tile per Box	8	8	9	20
M ² per Box	1.77	1.73	1.66	1.39
Weight (kg) per Box	17.83	18.08	16.75	14.09
Boxes per Pallet	50	50	54	64
M ² per Pallet	88.5	86.5	89.64	88.96
Weight (kg) per Pallet	913.73	922.27	926.55	920.36

For Technical information please go to amtico.com/commercial/technical



Dappled Concrete - Broken Bond



MADE IN
BRITAIN

Amtico Marine

Amtico Marine's specially curated design palette features 30 woods & 26 stones, with the option to personalise and customise designs unique to your vision. Amtico Marine proudly bears both the IMO wheelmark and the UK ENSign, signifying full accreditation under the Marine Equipment Directive (MED) and Merchant Shipping Regulations (Modules B & D), as well as Transport Canada Type Approval.

56 Products:

30 Woods
26 Stones

Total thickness: 2.0 mm
Wear layer: 0.55 mm
28 Marine laying patterns including Décor



10YR COMMERCIAL
WARRANTY




BIO



ANTIMICROBIAL

Ammonite, Whitley Stone, Berkswell Stone & Diffusion Loom - Nautica Sun motif & Ammonite - Large Parquet MCP137



2923/XXXX
MED CERTIFIED*



8512/XXXX
ENSIGN APPROVED**



TRANSPORT
CANADA

Wood

Size & Specification

Product Code	Product Name	Surface Texture	Straight Grain																	
			76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (8 x 18")	304.8 x 609.6 mm (2 x 24")	457.2 x 914.4 mm (18 x 36")	914.4 x 914.4 mm (36 x 36")								
AM5W6050	Alta Oak	Tick	•	•	•	•														
AM5W6129	Black Timber	Tick	•	•	•	•														
AM5W2534	Black Walnut	Tick	•	•	•	•														
AM5W2542	Dusky Walnut	Tick	•	•	•	•														
AM5W2541	Exotic Walnut	Tick	•	•	•	•														
AM5W6060	Falun Oak	Tick	•	•	•	•														
AM5W2533	Featured Oak	Tick	•	•	•	•														
AM5W6100	Flora Oak	Tick	•	•	•	•														
AM5W6120	Foreshore Oak	Tick	•	•	•	•														
AM5W8750	Friston Oak	Tick	•	•	•	•														
AM5W6070	Furrowed Oak	Tick	•	•	•	•														
AM5W8740	Henley Oak	Tick	•	•	•	•														
AM5W2504	Honey Oak	Tick	•	•	•	•														
AM5W6110	Keel Oak	Tick	•	•	•	•														
AM5W8780	Kirby Oak	Tick	•	•	•	•														
AM5W6230	Laholm Oak	Tick	•	•	•	•														
AM5W7970	Manor Oak	Tick	•	•	•	•														
AM5W6130	Matlo Oak	Tick	•	•	•	•														
AM5W2550	Nordic Oak	Tick	•	•	•	•														
AM5W2518	Pale Ash	Tick	•	•	•	•														
AM5W2530	Royal Oak	Tick	•	•	•	•														
AM5W5950	Rural Oak	Tick	•	•	•	•														
AM5W8570	Seaboard Oak	Tick	•	•	•	•														
AM5W8240	Solar Pine	Tick	•	•	•	•														
AM5W8900	Tay Oak	Tick	•	•	•	•														
AM5W8760	Tollymore Oak	Tick	•	•	•	•														
AM5W2514	Traditional Oak	Tick	•	•	•	•														
AM5W8890	Trevellas Oak	Tick	•	•	•	•														
AM5W6128	Voyager Teak	Tick	•	•	•	•														
AM5W2540	White Ash	Tick	•	•	•	•														

For more information on Amtico Bio please see pages 42-43.

All products are Quantum Guard Elite coated and bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

Stone

Size & Specification

Product Code	Product Name	Surface Texture	Straight Grain																	
			76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (8 x 18")	304.8 x 609.6 mm (2 x 24")	457.2 x 914.4 mm (18 x 36")	914.4 x 914.4 mm (36 x 36")								
AM5S2609	Amalfi	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S4800	Ammonite	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5SMA32	Berkswell Stone	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S6118	Castello Stone	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5SRE33	Chatham Concrete	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S2613	Como	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5SRE29	Deptford Concrete	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5ADF88	Diffusion Aloe	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5ADF39	Diffusion Chambray	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5ADF04	Diffusion Loam	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S4573	Fontana Marble Black	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S4575	Fontana Marble Blue	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S4576	Fontana Marble Green	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S4574	Fontana Marble White	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S2603	Gibson	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S6122	Mantle Stone	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC47	Stucco Clay	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC39	Stucco Flax	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC40	Stucco Haze	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC88	Stucco Opaline	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC30	Stucco Putty	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC15	Stucco Quartz	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5AUC51	Stucco Roselle	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5S2616	Vesper	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5SMA36	Whitley Stone	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•
AM5SRE31	Woolwich Concrete	Ceramic						•	•	•	•	•	•	•	•	•	•	•	•	•

For more information on Amtico Bio please see pages 42-43.

All products are Quantum Guard Elite coated and bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

Pattern Group	Size	MCP Code	Description	Must be installed with stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Parquet	Small	MCP143	1-colour		Plank: 76.2 x 228.6 mm (3 x 9")	192	3.345	9.82
		MCP144	2-colour					
		MCP145	3-colour					
		MCP146	5-colour					
	Large	MCP137	1-colour	Y	Plank: 114.3 x 457.2 mm (4.5 x 18")	60	3.135	9.22
		MCP138	1-colour with stripping					
		MCP139	2-colour					
		MCP140	3-colour					
		MCP141	5-colour					
		MCP142	5-colour with stripping					
Chevron		MCP111	1-colour		Plank: 87.98 x 457.2 mm (3.46 x 18")	90	6.435	9.43
Halcyon Pleat		MCP122	1-colour		Plank: 131.98 x 914.4 mm (5.19 x 36")	30	3.318	9.78
Gable Parquet	Small	MCP118	1-colour		Module: 304.8 x 304.8 mm (12 x 12")	45	4.18	12.30
	Large	MCP117	1-colour		Module: 457.2 x 457.2 mm (18 x 18")	20	4.18	12.21
Chantilly Weave		MCP106	1-colour		Module: 457.2 x 457.2 mm (18 x 18")	20	4.18	12.21
		MCP107	2-colour					
Versailles Parquet		MCP153	1-colour		Module: 691.1 x 691.1 mm (27.2 x 27.2")	12	5.731	17.27
Basket Weave		MCP103	1-colour		Key: 114.3 x 114.3 mm (4.5 x 4.5")	Key: 240	Key: 3.135	9.01
		MCP104	2-colour					
French Weave		MCP116	1-colour		Module: 609.6 x 609.6 mm (24 x 24")	12	4.459	13.70
Castel Weave		MCP105	1-colour		Tiles: 304.8 x 457.2 mm (12 x 18") 107.7 x 431 mm (4.24 x 16.97")	30 60	2.787 2.438	8.20
Pleat		MCP147	1-colour		Pleat: 114.3 x 457.2 mm (4.5 x 18")	60	2.351	6.99
		MCP148	3-colour					
		MCP149	5-colour					
Lune	Small	MCP136	2-colour		Module: 228.6 x 457.2 mm (9 x 18")	30	4.18	9.22
	Large	MCP135	2-colour		Module: 457.2 x 914.4 mm (18 x 36")	10	4.18	12.21
Arc	Small	MCP102	3-colour		Module: 152.4 x 609.6 mm (6 x 24")	45	4.18	12.30
	Large	MCP101	3-colour		Module: 304.8 x 1219.2 mm (12 x 48")	12	4.459	13.40
Gatsby Square	Small	MCP120	2-colour		Module: 304.8 x 304.8 mm (12 x 12")	45	4.18	12.30
	Large	MCP119	2-colour		Module: 457.2 x 457.2 mm (18 x 18")	20	4.18	12.21
Random Stone		MCP152	1-colour with stripping	Y	Tiles: 152.4 x 457.2 mm (6 x 18") 228.6 x 457.2 mm (9 x 18") 304.8 x 457.2 mm (12 x 18")	Tiles: 60 30 30	Tiles: 4.18 3.135 3.135	12.17
Herringbone Plank	Small	MCP129	1-colour	Y	Plank: 114.3 x 914.4 mm (4.5 x 36")	40	4.18	12.25
		MCP130	2-colour					
		MCP131	3-colour					
	Medium	MCP126	1-colour					
		MCP127	2-colour					
		MCP128	3-colour					
	Large	MCP123	1-colour					
		MCP124	2-colour					
		MCP125	3-colour					


Pattern Group	Size	MCP Code	Description	Must be installed with stripping	Dimensions	Plank/Tile per Box	m ² per Box	Weight (kg) per Box
Large Flagstone	Large	MCP113	1-colour with stripping	Y	Tiles: 152.4 x 152.4 mm (6 x 6") 152.4 x 304.8 mm (6 x 12") cross-grain / straight-grain 304.8 x 304.8 mm (12 x 12") 152.4 x 457.2 mm (6 x 18") cross-grain / straight-grain 304.8 x 457.2 mm (12 x 18") cross-grain / straight-grain 457.2 x 457.2 mm (18 x 18")	Tiles: 180 90 45 60 30 20	Tiles: 4.18 4.18 4.18 4.18 4.18 4.18	12.21
Extra Large Flagstone	Extra Large	MCP112	1-colour with stripping	Y	Tiles: 450.85 x 679.45 mm (17.75 x 26.75") 450.85 x 450.85 mm (17.75 x 17.75") 222.25 x 450.85 mm (8.75 x 17.75") 222.25 x 222.25 mm (8.75 x 8.75")	Tiles: (A1 & A3 packed together into same box) (A1 & A3) - 12 & 12 (A2) - 20 (A4) - 60	Tiles: (A1 & A3 packed together into same box) (A1 & A3) - 4.878 (A2) - 4.065 (A4) - 2.9637	14.74
Grand Flagstone	Grand	MCP121	1-colour with stripping	Y	Tiles: 603.25 x 908.05 mm (23.75 x 35.75") 603.25 x 603.25 mm (23.75 x 23.75") 298.45 x 603.25 mm (11.75 x 23.75") 298.45 x 298.45 mm (11.75 x 11.75")	Tiles: (A1) - 6 (A2) - 12 (A3) - 17 (A4) - 45	Tiles: (A1) - 3.286 (A2) - 4.366 (A3) - 3.061 (A4) - 4.008	10.63
Frame		MCP114	1-colour with stripping	Y	Module: 609.6 x 914.4 mm (24 x 36")	Module: 6	Module: 3.345	10.80
		MCP115	3-colour with stripping	Y	Tiles: 201.4 x 455.4 mm (7.93 x 17.93") 404.6 x 914.4 mm (15.93 x 36")	Tiles: Both tile sizes packed together as 6 large tiles and 12 small tiles per box	Tiles: Both tile sizes packed together as 6 large tiles and 12 small tiles per box	
Key Stone	Mini	MCP132	2-colour		Tile: 152.4 x 152.4 mm (6 x 6")	Tile: 180	Tile: 4.18	12.30
		MCP133	3-colour		Key: 50.8 x 50.8 mm (2 x 2")	Key: 1620	Key: 4.18	
	Small	MCP134	2-colour		Tile: 304.8 x 304.8 mm (12 x 12")	Tile: 45	Tile: 4.18	
Check		MCP108*	1-colour		Tile: 152.4 x 152.4 mm (6 x 6")	180	4.18	12.30
		MCP109	2-colour					
		MCP110	3-colour					
Random Plank	Small	MCP151	1-colour		Planks: 76.2 x 914.4 mm (3 x 36") 114.3 x 914.4 mm (4.5 x 36") 152.4 x 914.4 mm (6 x 36")	60 40 30	4.18 4.18 4.18	9.89
	Large	MCP150	1-colour		Planks: 76.2 x 914.4 mm (3 x 36") 152.4 x 914.4 mm (6 x 36") 228.6 x 914.4 mm (9 x 36")	60 30 16	4.18 4.18 3.345	9.89



*Tiles must be tessellated to achieve pattern.

Amtico Safety is available on all MCP patterns, including those that require stripping. Stripping will have a standard finish.

Stripping can be used alongside Amtico Marine floors to add definition, contrast or a tailored finish. Versatile strips enhance the overall design while maintaining the durability and performance needed. They are ideal for outlining zones, framing features or adding subtle detail.

Feature stripping is supplied bevelled and is available in the following sizes:*



	AM5S4800		AM5ASC22
Mantle Stone	AM5S6122	Deluxe Platinum**	AM5AME13
Stucco Putty	AM5AUC30	Opulent Gold**	AM5AME43
Woolwich Concrete	AM5SRE31	Grand Copper**	AM5AME19
Matlo Oak	AM5W6130	Stucco Flax	AM5AUC39
Black Walnut	AM5W2534	Stucco Roselle	AM5AUC51

*Sizes shown are not actual size.
**Straight Grain only.

Amtico Bio product enhancements are not available on stripping.
The above products are stocked, other products are available made to order.

	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 457.2 mm (18 x 18")	457.2 x 914.4 mm (18 x 36")	914.4 x 914.4 mm (36 x 36")
Plank/tile per box	60	40	30	11	45	30	20	20	10	10
M ² per box	4.18	4.18	4.18	2.47	4.18	4.18	3.159	4.18	4.18	8.36
Weight (kg) per box	12.27	12.29	12.27	7.47	12.30	12.17	9.29	12.17	12.75	24.34
Boxes per pallet	48	48	48	90	48	48	72	48	40	20
M ² per pallet	200.64	200.64	200.64	222.3	200.64	200.64	227.45	200.64	167.2	167.2
Weight (kg) per pallet	607.34	608.20	607.34	693.86	602.64	602.64	687.22	602.61	528.62	505.29

Volumes stated above are a guide, and may occasionally vary depending on order quantity and finished sizes. For Amtico Marine stripping packaging information please speak to your Marine Specialist for the latest information. For Technical information please go to amtico.com/commercial/technical.


Amtico Entryway

Leave a lasting impression.

Amtico Entryway offers hardworking functionality and understated style for busy lobbies & entrances.

5 designs
16 colourways

Inertia Static - Brick with Signature Exposed Concrete - Broken Bond



10YR COMMERCIAL
WARRANTY

Product Name	Product Code	Pattern Repeat	Size		Installation									
			609.6 x 609.6 mm (24 x 24")	457.2 x 914.4 mm (18 x 36")	Monolithic	Quarter Turned	Brick	Ashlar	Random	Herringbone	Pattern Repeat			
Ruffian Ebony Earth	EERF001506	1 tile	•		•	•								
Ruffian Tan Tetons	EERF008404	1 tile	•		•	•								
Recoarse Bypass Black	EERC001518	4 tiles	•		•	•	•		•					
Recoarse Traverse Tan	EERC008413	4 tiles	•		•	•	•		•					
Inertia Kinetic	EEIN011360	2 tiles		•				•						
Inertia Vector	EEIN014362	2 tiles		•				•						
Inertia Static	EEIN034365	2 tiles		•				•						
Inertia Slide	EEIN034368	2 tiles		•				•						
Charge Kinetic	EECH011360	1 tile		•				•						
Charge Vector	EECH014362	1 tile		•				•						
Charge Static	EECH034365	1 tile		•				•						
Charge Slide	EECH034368	1 tile		•				•						
Force Kinetic	EEFR011360	1 tile		•				•						
Force Vector	EEFR014362	1 tile		•				•						
Force Static	EEFR034365	1 tile		•				•						
Force Slide	EEFR034368	1 tile		•				•						

	609.6 x 609.6 mm (24 x 24")	457.2 x 914.4 mm (18 x 36")
Plank/tile per box	6	6
M ² per box	2.97	2.51
Weight (kg) per box	17.42	11.89
Boxes per pallet	24	24
M ² per pallet	71.28	60.24
Weight (kg) per pallet	440.02	303.82

For Technical information please go to amtico.com/commercial/technical



Entryway Ruffian Ebony Earth, Spacia Smoked Timber

Amtico SF Adhesive

An EC1 Plus-certified, water-based acrylic adhesive with a working time of up to one hour, recommended for use in all areas except those subject to heat and moisture. 2.5, 5 and 15 litres

Amtico PS Adhesive

PS Adhesive is an EC1 Plus-certified water-based acrylic adhesive that has an extended working time of up to three hours and is recommended for all areas except those subject to heat or moisture. 3, 6 and 14kgs

Amtico HT Adhesive

HT Adhesive is a single-part, wet-set, water-based acrylic adhesive that has very good temperature resistance. It has a working time of up to 30 minutes and is classified as EC1 Plus. It is recommended for areas subject to some heat variations, such as conservatories and areas receiving direct sunlight. It is also suitable for use where underfloor heating has been installed. 5 and 15 litres

Amtico HT Extra Adhesive

An EC1 Plus-certified single-part, water-based acrylic adhesive that has very good temperature resistance and improved grab, with a working time of up to 20 minutes. Recommended for areas subject to some heat variations, such as conservatories and adjacent to sunny windows. It is also suitable for use where underfloor heating has been fitted. 6 and 14kg

Amtico Universal 2-Part Adhesive

Universal 2-Part Adhesive is a wet-set adhesive that can be used for bonding Amtico Design Tile products in wet areas such as bathrooms.

It may also be used for high-temperature areas. Universal 2-Part has a working time of 40-60 minutes, is entirely solvent free and classified as EC1 Plus with respect to very low VOC emissions. 6kg

Use of Amtico Adhesives

Follow the instructions on the labelling, paying particular attention to the pot life and working times. Spread adhesives evenly using an A2 trowel. Do not use worn trowels. Only spread sufficient adhesive that can be covered within the recommended open time. The tiles should be rolled with a 45kg roller as soon as possible after installing and before the adhesive sets; timing will depend on site conditions and adhesive selection. Always clean away excess adhesive before it is allowed to dry; use a soft cloth moistened with adhesive remover.



**Amtico UK & European Sales**

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

**Amtico International
Germany**

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361 155 0
info@amtico.de

Amtico International

France
36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

**Amtico International
Scandinavia**

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

**Amtico International
Sucursal En España**

Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

**Amtico International Pty Ltd
Australia & New Zealand**

Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com

amtico.com

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of publication.