

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2021
8.0	25.06.2025	UNIB-TS-20250625-08-EN	Date of first issue: 24.02.2011
	Print Date:		
	27.01.2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Amtico Universal 2 Part, Component B
:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Isocyanate based product
stance/Mixture

Recommended restrictions : For industrial use only.
on use

1.3 Details of the supplier of the safety data sheet

Company : Amtico International
Address : Kingfield Road
Coventry,
CV6 5AA,
UK.

Telephone : +44(0)2476861400

E-mail address of person : technical.support@amtico.com
responsible for the SDS

1.4 Emergency telephone number

Emergency telephone number : In case of poisoning:
+44 (0) 24 7686 1400 Opening hours: Mon - Fri 08:30 - 16:45

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms : 

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version 8.0 Revision Date: 25.06.2025 SDS Number: UNIB-TS-20250625-08-EN Date of last issue: 13.05.2021
Print Date: 27.01.2026 Date of first issue: 24.02.2011

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, polymeric	9016-87-9	STOT RE 2; H373 (Respiratory Tract) Carc. 2; H351 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 50 - < 70
methylenediphenyl diisocyanate	26447-40-5 247-714-0 615-005-00-9 01-2120770510-62-0000	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Even minimal concentrations of isocyanate can lead to a reaction in sensitised people.
Symptoms that may occur include the following:
irritation of the eyes, nose, throat and lungs, possibly together with a dry throat, a feeling of chest tightness and breathing difficulties.

Immediately remove clothing if soiled by product.
Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- | | | |
|-------------------------|---|---|
| If inhaled | : | Remove person to fresh air. If signs/symptoms continue, get medical attention.
In case of unconsciousness bring patient into stable side position for transport. |
| In case of skin contact | : | Wash off with polyethylene glycol and afterwards with plenty of water.
Use a mild soap if available.
Treat affected skin with cotton wool or cellulose.
Call a physician if irritation develops or persists. |
| In case of eye contact | : | Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
Protect unharmed eye. |
| If swallowed | : | Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
Suspected of causing cancer.
May cause damage to organs through prolonged or repeated exposure. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|--|
| Treatment | : | In instances of existing sensitisation towards isocyanates, a doctor should be consulted with regards to work-related contact with other sensitising substances, or substances which irritate the airway.

Treatment for exposure should be geared towards monitoring symptoms and the patient's clinical condition. |
|-----------|---|--|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

It must be ensured that the patient has sufficient ventilation and oxygen supply.

Isocyanates can cause sensitisation of the airways, or asthma-like symptoms (bronchospasms). Delayed breathing symptoms, including lung oedema, may occur.

People who have shown signs of breathlessness after considerable exposure should remain under observation for 24-48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO ₂) |
| Unsuitable extinguishing media | : | Do NOT use water jet. |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | May release toxic, irritating and/or corrosive gases.
In case of fire CO, NO _x , isocyanates and traces of HCN can be formed. |
|---------------------------------------|---|---|

5.3 Advice for firefighters

- | | | |
|---|---|---|
| Special protective equipment for firefighters | : | Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |
| Further information | : | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | | |
|----------------------|---|------------------------------------|
| Personal precautions | : | Use personal protective equipment. |
|----------------------|---|------------------------------------|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Use breathing protection against the effects of
fumes/dust/aerosol.
Evacuate personnel to safe areas.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Take note of emission threshold.
Avoid formation of aerosol.
Do not heat the product.
Ensure that suitable extractors are available on processing
machines.
Handle with care. Avoid inhalation and skin contact.
Keep eye wash bottle available on working place.
Avoid release to the environment.
Keep out of reach of children.

Ensure good ventilation. This can be achieved by using a local
exhaustion or general exhaust system. If these measures are
insufficient to keep the vapor concentration below the work-
place limit, wear an adequate respiratory protective device.

Advice on protection against : In the event of fire and/or explosion do not breathe fumes.
fire and explosion : Keep breathing equipment ready. Have fire extinguishing
equipment ready in case of nearby fire.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Do not freeze. Keep tightly closed in a dry, cool and well-ventilated place. Protect against light.
Further information on storage conditions	:	Keep containers tightly closed in a dry, cool and well-ventilated place.
Advice on common storage	:	Keep away from food, drink and animal feedingstuffs. Never allow product to get in contact with water during storage.

7.3 Specific end use(s)

Specific use(s)	:	No further relevant information available.
-----------------	---	--

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Diphenylmethanediisocyanate, polymeric	9016-87-9	TWA	0,02 mg/m ³ (NCO)	GB EH40
Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagens? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate				

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

	standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (www.hse.gov.uk/asthma) provide further information.			
		STEL	0,07 mg/m3 (NCO)	GB EH40
	Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered			

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version 8.0 Revision Date: 25.06.2025 SDS Number: UNIB-TS-20250625-08-EN Date of last issue: 13.05.2021
Date of first issue: 24.02.2011
Print Date: 27.01.2026

	that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (www.hse.gov.uk/asthma) provide further information.			
methylenediphenyl diisocyanate	26447-40-5	TWA	0,02 mg/m ³ (NCO)	GB EH40
	Further information: Capable of causing occupational asthma.			
		STEL	0,07 mg/m ³ (NCO)	GB EH40
	Further information: Capable of causing occupational asthma.			

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
methylenediphenyl diisocyanate	Workers	Dermal	Acute systemic effects	50 mg/kg
	Workers	Inhalation	Acute systemic effects	0,1 mg/m ³
	Workers	Dermal	Local effects	28,7 mg/cm ²
	Workers	Inhalation	Local effects	0,1 mg/m ³
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m ³
	Workers	Inhalation	Local effects	0,05 mg/m ³

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
methylenediphenyl diisocyanate	Fresh water	> 1 mg/l
	Marine water	> 0,1 mg/l
	Soil	> 1 mg/kg
	Sewage treatment plant	> 1 mg/l

8.2 Exposure controls

Engineering measures

Please take care on national and local requirements.
Use local exhaust ventilation or other engineering controls to minimize exposures.

Personal protective equipment

Eye protection : Tightly fitting safety goggles or equipment with better protection

Hand protection
Material : Nitrile rubber or equipment with better protection

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Remarks

: Direct contact with the product must be avoided by organizational measures.

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Skin and body protection

: Protective clothing

When carrying out activities where unintentional skin contact with the isocyanate-based product may occur (e.g. during

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

- maintenance work, or when opening a barrel), wear long-sleeved protective clothing and gloves.
- Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- Filter type : For short term, use combination charcoal and particulate filter or equipment with better protection.
- Protective measures : Instantly remove any soiled and impregnated garments.
Wash hands before breaks and immediately after handling the product.
Avoid contact with the eyes and skin.
Store protective clothing separately.
Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : dark brown
- Odour : characteristic
- Odour Threshold : is not determined
- pH : is not determined
- Melting point/freezing point : is not determined
- Boiling point/boiling range : is not determined
- Flash point : > 200 °C
- Evaporation rate : is not determined

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Flammability (solid, gas)	:	Not classified as a flammability hazard
Relative vapour density	:	is not determined
Density	:	1,23 g/cm ³ (25 °C)
Solubility(ies)	:	
Water solubility	:	partly soluble, reacts with water
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	is not determined
Decomposition temperature	:	Not applicable
Explosive properties	:	Not explosive

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

10.2 Chemical stability

No decomposition if used according to the specifications.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with alcohols, amines, aqueous acids and alkalis. Mixture reacts with water resulting in evolution of CO ₂ . Evolution of CO ₂ in closed containers causes overpressure and produces a risk of bursting.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	No further relevant information available.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Amines Strong acids and strong bases
--------------------	---	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO_x)

Isocyanates

Additional information: Open and release pressure carefully with pressurised containers.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if inhaled.

Product:

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l
Exposure time: 4 Hours
Test atmosphere: dust/mist
Method: Calculation method

Components:

Diphenylmethanediisocyanate, polymeric:

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: Expert judgement

methylenediphenyl diisocyanate:

Acute inhalation toxicity : Acute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

methylenediphenyl diisocyanate:

Partition coefficient: n- : log Pow: 4,5
octanol/water

12.4 Mobility in soil

Product:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.
Do not dispose of waste into sewer.
Hand over to disposers of hazardous waste.
The generation of waste should be avoided or minimized wherever possible.
Incinerate under controlled conditions in accordance with all local and national laws and regulations.
Disposal must be made according to official regulations.

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 74, 3 Diphenylmethanediisocyanate, polymeric (Number on list 74) methylenediphenyl diisocyanate (Number on list 74)
REACH - Candidate List of Substances of Very High Concern for Authorisation (SVHC, Article 59)	: Compliant
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Compliant
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Compliant
Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and	: Neither banned nor restricted

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

third countries in drug precursors

Directive 2000/53/EC of the European Parliament and of the Council of 18 September 2000 on end-of life vehicles : Compliant

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment, Annex II : Compliant

Council Regulation (EC) No 273/2004 on drug precursors : Compliant

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Compliant

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Not applicable

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2021
8.0	25.06.2025	UNIB-TS-20250625-08-EN	Date of first issue: 24.02.2011
	Print Date:		
	27.01.2026		

DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
REACH	:	On the inventory, or in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2021
8.0	25.06.2025	UNIB-TS-20250625-08-EN	Date of first issue: 24.02.2011
	Print Date:		
	27.01.2026		

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758

Amtico Universal 2 Part, Component B

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	25.06.2025	UNIB-TS-20250625-08-EN	13.05.2021
	Print Date:		Date of first issue:
	27.01.2026		24.02.2011

- United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

:

Modified data compared to the previous version

The following sections have been updated:

- Section 2
- Section 8
- Section 15
- Section 16

Classification of the mixture:

Acute Tox. 4	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN